

Mr. Jamell.
Reids

Access DB# 106121

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: BEN SACKET Examiner #: 73429 Date: 6/30/04
Art Unit: 1620 Phone Number: 202-0704 Serial Number: 10/655, 876
Mail Box and Bldg/Room Location: REM 5 B 31 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.



Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: Substituted acid derivatives useful as antidiabetic and obesity agents

Inventors (please provide full names): Peter Cheng et al.

Earliest Priority Filing Date: 9/22/99

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.



STAFF USE ONLY

Searcher: Noble / Jan
Searcher Phone #: _____
Searcher Location: _____
Date Searcher Picked Up: 7/13/04
Date Completed: 7/13/04
Searcher Prep & Review Time: 30
Clerical Prep Time: _____
Online Time: 70

Type of Search

NA Sequence (#) _____
AA Sequence (#) _____
Structure (#) 2
Bibliographic _____
Litigation _____
Fulltext _____
Patent Family _____
Other _____

Vendors and cost where applicable

STN 695
Dialog _____
Questel/Orbit _____
Dr. Link _____
Lexis/Nexis _____
Sequence Systems _____
WWW/Internet _____
Other (specify) _____

=> b reg

FILE 'REGISTRY' ENTERED AT 15:01:44 ON 13 JUL 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 11 JUL 2004 HIGHEST RN 708207-86-7
 DICTIONARY FILE UPDATES: 11 JUL 2004 HIGHEST RN 708207-86-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004


Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
 information enter HELP PROP at an arrow prompt in the file or refer
 to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d que stat l35

L24 STR



VAR G3=O/S

NODE ATTRIBUTES:


DEFAULT MLEVEL IS ATOM
 GGCAT IS MCY UNS AT 3
 DEFAULT ECLEVEL IS LIMITED
 ECOUNT IS E6 C AT 3

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 15

STEREO ATTRIBUTES: NONE

L26 692 SEA FILE=REGISTRY SSS FUL L24
 L33 STR



O—Ak
 @26 27

Brad Search
 (Not the
 Elected
 Species)

VAR G2=H/AK
 VAR G3=O/S
 VAR G4=H/AK/26/X/N

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM
 GGCAT IS MCY UNS AT 3
 GGCAT IS MCY UNS AT 17
 DEFAULT ECLEVEL IS LIMITED
 ECOUNT IS E6 C AT 3

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 22

STEREO ATTRIBUTES: NONE


L35 681 SEA FILE=REGISTRY SUB=L26 SSS FUL L33

100.0% PROCESSED 692 ITERATIONS
 SEARCH TIME: 00.00.01

681 ANSWERS

=> d ide l58

L58 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 331745-63-2 REGISTRY
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
 , ethyl ester (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C23 H26 N2 O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)



*Elected
Species*

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d his

(FILE 'HOME' ENTERED AT 13:20:30 ON 13 JUL 2004)

FILE 'HCAPLUS' ENTERED AT 13:20:37 ON 13 JUL 2004
 ACT SAC876APP/A

L1 (171)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG P"/AU OR "CHENG P T"/A
 L2 (30)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG PETER"/AU OR "CHENG PE
 L3 (14)SEA FILE=HCAPLUS ABB=ON PLU=ON ("DEVASTHALE P V"/AU OR "DEVAS
 L4 (61)SEA FILE=HCAPLUS ABB=ON PLU=ON ("JEON Y"/AU OR "JEON Y H"/AU
 L5 (9)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN SEAN"/AU OR "CHEN SEAN
 L6 (350)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN S S"/AU OR "CHEN S Y"/A
 L7 (576)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG HAO"/AU OR "ZHANG HAO
 L8 (1962)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG H"/AU OR "ZHANG H B"/A
 L9 (22)SEA FILE=HCAPLUS ABB=ON PLU=ON (L1 OR L2 OR L3 OR L4 OR L5 OR
 L10 15 SEA FILE=HCAPLUS ABB=ON PLU=ON L9 AND ?OBES?/BI

 ACT SAC876CS/A

L11 (171)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG P"/AU OR "CHENG P T"/A
 L12 (30)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG PETER"/AU OR "CHENG PE
 L13 (14)SEA FILE=HCAPLUS ABB=ON PLU=ON ("DEVASTHALE P V"/AU OR "DEVAS
 L14 (61)SEA FILE=HCAPLUS ABB=ON PLU=ON ("JEON Y"/AU OR "JEON Y H"/AU
 L15 (9)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN SEAN"/AU OR "CHEN SEAN
 L16 (350)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN S S"/AU OR "CHEN S Y"/A
 L17 (576)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG HAO"/AU OR "ZHANG HAO
 L18 (1962)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG H"/AU OR "ZHANG H B"/A
 L19 (5301)SEA FILE=HCAPLUS ABB=ON PLU=ON (BRISTOL (1A) (MYER? OR MEYER?
 L20 (2)SEA FILE=HCAPLUS ABB=ON PLU=ON ("BRISTOL MAYERS SQUIBB CO"/CS
 L21 29 SEA FILE=HCAPLUS ABB=ON PLU=ON (L11 OR L12 OR L13 OR L14 OR L

FILE 'REGISTRY' ENTERED AT 13:21:24 ON 13 JUL 2004

ACT SAC876SSS/A

L22 STR
 L23 0 SEA FILE=REGISTRY SSS SAM L22

L24 STR L22
 L25 2 L24
 L26 692 L24 FULL
 SAVE TEMP L26 SAC876FUL/A
 L27 STR L24
 L28 STR L27
 L29 STR L27
 L30 33 L29 SAM SUB=L26
 L31 STR L29
 L32 33 L31 SAM SUB=L26
 L33 STR L31
 L34 33 L33 SUB=L26 SAM
 L35 681 L33 FULL SUB=L26
 SAVE TEMP L35 SAC876SUB1/A

FILE 'HCAPLUS' ENTERED AT 14:28:20 ON 13 JUL 2004

L36 10 L35
 L37 3 L11-18 AND L36
 L38 3 L19-20 AND L36
 L39 3 L37-38
 L40 7 L36 NOT L39
 L41 2 L40 AND (PY<=1999 OR AY<=1999 OR PRY<=1999 OR AD<19990922 OR PD

FILE 'USPATFULL, USPAT2' ENTERED AT 14:32:36 ON 13 JUL 2004

L42 9 L35
 E CHENG P/AU
 L43 22 E27,E32-33
 E DEVASTHALE P/AU

L44 9 E4
E JEON Y/AU
L45 38 E30-31
E CHEN S/AU
L46 19 E37-38, E7
E ZHANG H/AU
L47 34 E28
L48 1393 (BRISTOL (1A) (MYER? OR M!YER?) (1A) SQUIBB?)/CS, PA
L49 7 L42 AND L43-47
L50 3 L42 AND L48
L51 3 L49 AND L50
L52 7 L49-50
L53 2 L42 NOT L52
L54 0 L53 AND (PY<=1999 OR AY<=1999 OR PRY<=1999 OR AD<19990922 OR PD

FILE 'HCAOLD' ENTERED AT 14:39:20 ON 13 JUL 2004

L55 0 L35

FILE 'REGISTRY' ENTERED AT 14:44:20 ON 13 JUL 2004

L56 2455 C23H26N2O4
L57 4 L56 AND L26
L58 1 L57 AND ETHYL ESTER

FILE 'HCAPLUS' ENTERED AT 14:47:42 ON 13 JUL 2004

L59 2 L58
L60 2 L59 AND L11-18
L61 2 L59 AND L19-20
L62 2 L60-61

FILE 'USPATFULL, USPAT2' ENTERED AT 14:48:47 ON 13 JUL 2004

L63 6 L58
L64 6 L63 AND L43-47
L65 3 L63 AND L48
L66 6 L64-65

FILE 'HCAOLD' ENTERED AT 14:50:25 ON 13 JUL 2004

L67 0 L58

=> b hcap

FILE 'HCAPLUS' ENTERED AT 15:02:35 ON 13 JUL 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Jul 2004 VOL 141 ISS 3

FILE LAST UPDATED: 12 Jul 2004 (20040712/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE


=> d bib abs fhitstr hitrn l39 tot

L39 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2002:927184 HCAPLUS
 DN 138:14048
 TI Preparation of oxazolylethoxyphenylprolines and related compounds as
 antidiabetic and antiobesity agents.
 IN **Cheng, Peter T.; Jeon, Yoon;** Wang, Wei
 PA **Bristol-Myers Squibb** Company, USA
 SO PCT Int. Appl., 107 pp.
 CODEN: PIXXD2


DT Patent
 LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002096357	A2	20021205	WO 2002-US16628	20020523
	WO 2002096357	A3	20030925		
	W:		AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:		GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG		
	US 2003092697	A1	20030515	US 2002-153342	20020522
	EP 1401433	A2	20040331	EP 2002-737192	20020523
	R:		AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR		
PRAI	US 2001-294505P	P	20010530		
	WO 2002-US16628	W	20020523		
OS	MARPAT 138:14048				
GI					



I



II

AB Title compds. [I; m, n = 0-2; Q = C, N; A = (CH₂)_x, (CH₂)_{x1}, with an alkenyl or alkynyl bond in the chain, (CH₂)_{x2}O(CH₂)_{x3}; x = 1-5; x1 = 2-5; x2, x3 = 0-5; provided that .gtoreq.1 of x2 and x3 .noteq. 0; X1 = CH, N; X2 = C, N, O, S; X3 = C, N; X4 = C, N, O, S provided that .gtoreq.1 of X2, X3, X4 = N; in each of X1-X4, C may include CH; R1 = H, alkyl; R2 = H, alkyl, alkoxy, halo, (substituted) amino; R2a, R2b R2c = H, alkyl, alkoxy, halo, (substituted) amino; R3 = H, alkyl, arylalkyl, aryloxy, carbonyl, alkyloxy, carbonyl, alkynyloxy, carbonyl, alkenyloxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, cycloheteroalkyl, heteroaryl, carbonyl, heteroaryl, heteroaryl, alkyl, carbonyl, amino, aryl, carbonyl, amino, heteroaryl, carbonyl, amino, alkoxy, carbonyl, amino, aryloxy, carbonyl, amino, heteroaryl, carbonyl, amino, heteroaryl, heteroaryl, carbonyl, alkyl, sulfonyl, alkenyl, sulfonyl, heteroaryl, oxy, carbonyl, cycloheteroalkyl, oxy, carbonyl, aryloxy, heteroaryl, alkyl, heteroaryl, alkyl, oxy, aryl, alkyl, aryl, alkyl, aryl, alkyl, aryl, amino, aryl, alkyl, etc.; Y = CO₂R₄, 1-tetrazolyl, P(O)(OR_{4a})R₅, P(O)(OR_{4a})₂; R₄ = H, alkyl, prodrug ester; R_{4a} = H, prodrug ester; R₅ = alkyl, aryl; Z = (CH₂)_{x4}, (CH₂)_{x5}, (CH₂)_{x6}O(CH₂)_{x7}; x₄ = 1-5; x₅ = 2-5; x₆, x₇ = 0-4], were prepared as antidiabetic and antiobesity agents (no data). Thus, title compound (II) was prepared in 6 steps.


IT 477719-54-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of oxazolyloxyphenylprolines and related compds. as antidiabetic and antiobesity agents)

RN 477719-54-3 HCAPLUS

CN 4-Pentenoic acid, 2-[[[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]amino]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 477719-54-3P 477719-55-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of oxazolyloxyphenylprolines and related compds. as antidiabetic and antiobesity agents)

L39 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:502825 HCAPLUS

DN 137:63237

TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents

IN **Cheng, Peter T.; Devasthale, Pratik; Jeon, Yoon; Chen, Sean; Zhang, Hao**

PA **Bristol-Myers Squibb Company, USA**

SO U.S., 190 pp., Cont.-in-part of U.S. Ser. No. 664,598.



CODEN: USXXAM

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6414002	B1	20020702	US 2001-812960	20010320
	US 2003069275	A1	20030410	US 2002-80965	20020222
	US 2003087935	A1	20030508	US 2002-81075	20020222
	US 6727271	B2	20040427		
	US 2003096846	A1	20030522	US 2002-80981	20020222
	US 6653314	B2	20031125		
PRAI	US 1999-155400P	P	19990922		
	US 2000-664598	A2	20000918		
	US 2001-812960	A3	20010320		
OS	MARPAT 137:63237				
GI					



AB Title compds. I [wherein Q = C, N; A = O, S; B = (CH₂)_x; Z = O, bond; X = CH, N; R₁ = H, alkyl; R₂ = H, alkyl, alkoxy, halo, amino; R₃ = H, alkyl, aralkyl, aryloxyacarbonyl, alkoxyacarbonyl, arylcarbonyl, alkylcarbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxyarylalkyl, etc.; R_{2a}, R_{2b}, R_{2c} = H, alkyl, alkoxy, halo, amino; Y = CO₂R₄, 1-tetrazolyl, PO(OR_{4a})R₅; R₄ = H, alkyl, prodrug or ester; R_{4a} = H, prodrug ester; R₅ = alkyl, aryl; x = 1-4; m, n = 1, 2] were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). For example, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph₃P, and DEAD were stirred in THF at 0.degree.-room temperature to give 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde (65%). Addition of N-benzylglycine Et ester and NaBH(OAc)₃ in 1,2-dichloroethane afforded the benzylamine derivative (55%), which was stirred with aqueous NaOH in MeOH for

14 h


to give the title compound II (71%). I are useful for the treatment of diabetes, especially Type II diabetes, as well as hyperglycemia, hyperinsulinemia, hyperlipidemia, obesity, atherosclerosis, and related diseases (no data).

IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



- IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
- IT **331739-67-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-68-5P**,
 Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331739-70-9P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-2-propynyl- **331739-71-0P**,
 Glycine, N-2-benzoxazolyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-72-1P**, Glycine,
 N-2-benzoxazolyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-73-2P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(4-phenoxyphenyl)methyl]- **331739-74-3P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331739-75-4P**, Glycine, N-[[3-(4-chlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-76-5P**, Glycine,
 N-[[5-(4-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-77-6P**, Glycine,
 N-[[4-(3-fluorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-78-7P**, Glycine,
 N-[[4-(3-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-79-8P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-pyridinyl)phenyl]methyl]- **331739-80-1P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-phenylethyl)-
331739-82-3P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenylpropyl)- **331739-83-4P**,
 Glycine, N-[[3-(3,4-dichlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-84-5P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(3-phenoxyphenyl)methyl]- **331739-85-6P**, Glycine,
 N-[[1,1'-biphenyl]-4-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-86-7P**, Glycine,
 N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-87-8P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-[3-(trifluoromethyl)phenoxy]phenyl]methyl]- **331739-88-9P**, Glycine,

N-[[3-(4-methylphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-89-0P**, Glycine,
N-[[3-(4-methoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-90-3P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl]methyl]- **331739-91-4P**, Glycine,
N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-92-5P**,
Glycine, N-[(2E)-3,7-dimethyl-2,6-octadienyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-93-6P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenyl]methyl]- **331739-94-7P**, Glycine,
N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-95-8P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxy-2-thienyl]methyl]- **331739-96-9P**, Glycine,
N-[(2Z)-3-(2-furanyl)-2-propenyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-97-0P**, Glycine,
N-[(4-fluorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-98-1P**, Glycine,
N-[[2-[(4-chlorophenyl)thio]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-99-2P**, Glycine,
N-[[3-(3,5-dimethoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-00-2P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylmethyl)- **331740-01-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331740-02-4P**, Glycine, N-(1H-indol-2-ylmethyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-03-5P**,
Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-04-6P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[2-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-05-7P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(3-nitrophenyl)-2-furanyl]methyl]- **331740-06-8P**, Glycine,
N-[[5-[2-chloro-5-(trifluoromethyl)phenyl]-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-07-9P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[3-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-08-0P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-nitrophenyl)-2-furanyl]methyl]- **331740-09-1P**,
1H-Pyrrole-2-carboxylic acid, 5-[[[(carboxymethyl)[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]methyl]-4-ethyl-3-methyl-,
2-(phenylmethyl) ester **331740-10-4P**, Glycine,
N-[[5-(4-bromophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-11-5P**, Glycine,
N-[[5-(3-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-12-6P**, Glycine,
N-[[5-(1,3-dioxolan-2-yl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-13-7P**, Glycine,
N-[[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1H-indol-3-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-14-8P**, Glycine, N-[[5-(2,4-dichlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-15-9P**, Glycine,
N-[[4-(2,6-difluorobenzoyl)-1-methyl-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-16-0P**,
Glycine, N-[(4-benzoyl-1-methyl-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-17-1P**,
Glycine, N-[(2,2'-bithiophen)-5-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331740-18-2P**, Glycine,
N-[(5-bromo-3,4-dimethylthieno[2,3-b]thien-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-19-3P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-(phenylethynyl)-2-thienyl)methyl]- **331740-20-6P**, Glycine,
N-[[4-(2,4-dichlorobenzoyl)-1-methyl-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-21-7P**,
Glycine, N-[[1-(4-chlorophenyl)-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-22-8P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylethynyl)-2-thienyl)methyl]- **331740-23-9P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-nitro-4-phenoxyphenyl)methyl]- **331740-24-0P**, Glycine,
N-[(3-methyl-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-25-1P**, Glycine,
N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-26-2P**, Glycine,
N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-27-3P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-nitro-3-phenoxyphenyl)methyl]- **331740-28-4P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-nitro-5-phenoxyphenyl)methyl]- **331740-29-5P**, Glycine,
N-[(5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-30-8P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]-2-thienyl)methyl]- **331740-31-9P**,
Glycine, N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-32-0P**,
Glycine, N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-33-1P**,
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-[2-nitro-4-(trifluoromethyl)phenyl]-2-furanyl)methyl]- **331740-34-2P**,
Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(2-pyridinyl)phenyl)methyl]- **331740-35-3P**,
Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[2-(phenylmethyl)phenyl)methyl]- **331740-36-4P**,
Glycine, N-heptyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-37-5P**, Glycine,
N-([1,1'-biphenyl]-4-yl)methyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-38-6P**, Glycine,
N-[(2-hydroxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-39-7P**, Glycine,
N-[[5-(2-chlorophenyl)-2-furanyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-40-0P**, Glycine,
N-[(3,5-dimethoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-41-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-phenoxyphenyl)methyl]- **331740-42-2P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-43-3P**, Glycine,
N-[[3-(4-chlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-44-4P**, Glycine,
N-[[3-(3,5-dichlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-45-5P**, Glycine,
N-[[3-(4-methylphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-46-6P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl)methyl]- **331740-47-7P**, Glycine,
N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl)methyl]-N-[[4-[2-(5-methyl-

2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-48-8P, Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-49-9P, Glycine, N-[[3-[4-(1,1-dimethylethyl)phenoxy]phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-50-2P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylmethoxy)phenyl)methyl]- 331740-51-3P, Glycine, N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-52-4P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[2-phenoxyphenyl)methyl]- 331740-53-5P, Glycine, N-[[4-(3-methoxyphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-54-6P, Glycine, N-[[4-(4-bromophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-55-7P, Glycine, N-[[4-(4-chlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-56-8P, Glycine, N-[[4-(4-methylphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-57-9P, Glycine, N-[[4-(4-methoxyphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-58-0P, Glycine, N-[[4-(2-chlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-59-1P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[4-(trifluoromethyl)phenoxy]phenyl)methyl]- 331740-60-4P, Glycine, N-[[4-(3,5-dichlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-61-5P, Glycine, N-[[4-(4-fluorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-62-6P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(3-thienyloxy)phenyl)methyl]- 331740-63-7P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[4-(methylthio)phenoxy]phenyl)methyl]- 331740-64-8P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-phenoxy-2-thienyl)methyl]- 331740-65-9P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[3-(trifluoromethyl)phenoxy]phenyl)methyl]- 331740-66-0P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(3-nitrophenoxy)phenyl)methyl]- 331740-67-1P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylamino)phenyl)methyl]- 331740-68-2P, Glycine, N-[[4-(1H-imidazol-1-yl)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-69-3P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(4-pyridinyl)phenyl)methyl]- 331740-70-6P, Glycine, N-[[4'-(aminocarbonyl)[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-71-7P, Glycine, N-[[3',5'-dichloro[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-72-8P, Glycine, N-[[3'-methoxy[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-73-9P, Glycine, N-[[3',4'-difluoro[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-74-0P, Glycine, N-[[3'-fluoro[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-75-1P, Glycine, N-[[4-(3-furanyl)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- 331740-76-2P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(2-thienyl)phenyl)methyl]- 331740-77-3P, Glycine, N-[(3-methoxy-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331740-78-4P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-nitro-4-
phenoxyphenyl)methyl]- **331740-79-5P**, Glycine,
N-[(3-methyl-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-80-8P**, Glycine,
N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-81-9P**, Glycine,
N-[(2-methoxy-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-82-0P**, Glycine,
N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-83-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-nitro-3-
phenoxyphenyl)methyl]- **331740-84-2P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-nitro-5-
phenoxyphenyl)methyl]- **331740-85-3P**, Glycine,
N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-86-4P**, Glycine,
N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-87-5P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(2-
pyrimidinyl)phenyl)methyl]- **331740-88-6P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(5-
pyrimidinyl)phenyl)methyl]- **331740-89-7P**, Glycine,
N-(1H-indol-2-yl)methyl)-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-90-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(1R)-1-
phenylethyl]- **331740-91-1P**, D-Alanine, N-[[3-[2-(5-methyl-2-
phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-92-2P**,
D-Phenylalanine, N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331740-93-3P**, D-Alanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-
phenoxyphenyl)methyl]- **331740-94-4P**, D-Phenylalanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-
phenoxyphenyl)methyl]- **331740-95-5P**, L-Phenylalanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-
phenoxyphenyl)methyl]- **331740-96-6P**, D-Valine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-
phenoxyphenyl)methyl]- **331740-97-7P**, Acetic acid,
(2,2-dimethylpropoxy)[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl][(4-phenoxyphenyl)methyl]amino]-, (2R)-
331740-98-8P, D-Serine, N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)methyl]-
331740-99-9P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethoxy)carbonyl]-
331741-00-5P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethoxy)carbonyl]-
331741-01-6P, Glycine, N-[(2-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-
methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331741-02-7P**,
Glycine, N-[(3,5-dichlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-03-8P**, Glycine,
N-[[3-(methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-04-9P**, Glycine,
N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-05-0P**, Glycine,
N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-06-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-
(phenylmethoxy)phenoxy]carbonyl]- **331741-07-2P**, Glycine,
N-[(4-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-08-3P**, Glycine,

N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxycarbonyl)- **331741-09-4P**, Glycine, N-[(4-chloro-3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-10-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(phenoxyphenyl)methoxy]carbonyl]- **331741-11-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-propynyloxy)carbonyl]- **331741-12-9P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-13-0P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-14-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitrophenoxy)carbonyl]- **331741-15-2P**, Glycine, N-[(9H-fluoren-9-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-16-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-nitrophenyl)methoxy]carbonyl]- **331741-17-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-18-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331741-19-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-(phenoxyphenyl)methoxy]carbonyl]- **331741-20-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenoxyphenyl)methoxy]carbonyl]- **331741-21-0P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331741-22-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331741-23-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331741-24-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-25-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenyl-2-propynyl]oxy]carbonyl]- **331741-26-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331741-27-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331741-28-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-29-8P**, Glycine, N-[(4-fluoro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-30-1P**, Glycine, N-[(3-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-31-2P**, Glycine, N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-32-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331741-33-4P**, Glycine, N-[[3-(methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-34-5P**, Glycine, N-[[4-(methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-35-6P**, Glycine, N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-36-7P**, Glycine, N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-37-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331741-38-9P**, Glycine,

N-[[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-39-0P**, Glycine,
N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-40-3P**, Benzoic acid,
4-[[[(carboxymethyl)[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]carbonyl]oxy]-, 1-methyl ester
331741-41-4P, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331741-42-5P, Glycine, N-[[4-(1,3-dithiolan-2-yl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331741-43-6P, Glycine, N-[(4-chloro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331741-44-7P, Glycine, N-[(4-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-45-8P**,
Glycine, N-[(4-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-46-9P**, Glycine,
N-[(4-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-47-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenoxy]carbonyl]- **331741-48-1P**, Glycine,
N-[(3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-49-2P**, Glycine,
N-[(3-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-50-5P**, Glycine,
N-[(3-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-51-6P**, Glycine,
N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-52-7P**, Glycine,
N-[(4-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-53-8P**, Glycine,
N-[(3-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-54-9P**, Glycine,
N-[[2,3-dihydro-3-oxo-6-benzofuranyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-55-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(1,2,3-thiadiazol-4-yl)phenoxy]carbonyl]- **331741-56-1P**, Glycine,
N-[(3-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-57-2P**, Glycine,
N-[(3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-58-3P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethylphenoxy)carbonyl]- **331741-59-4P**, Glycine,
N-[(4-ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-60-7P**, Glycine,
N-[(3-ethoxy-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-61-8P**, Glycine,
N-[(4-cyclopentylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-63-0P**, Glycine,
N-[(4-ethenylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-64-1P**, Glycine,
N-[[4-(3-methylbutyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-65-2P**, Glycine,
N-[(4-butylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-66-3P**, Glycine,
N-[(4-hexylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-67-4P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(4-morpholinyl)phenoxy]carbonyl]- **331741-68-5P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5,6,7,8-tetrahydro-2-naphthalenyl]oxy]carbonyl]- **331741-69-6P**, Glycine,

N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-70-9P**, Glycine,
 N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-71-0P**, Glycine,
 N-[[3-(4-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-72-1P**, Glycine,
 N-[[3-(5-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331741-73-2P**, Glycine, N-[[3-(ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-74-3P**, Glycine, N-[[4-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-75-4P**, Glycine, N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-76-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl]- **331741-77-6P**, Glycine, N-[[4-(ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-78-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(propylphenoxy)carbonyl]- **331741-79-8P**, Glycine, N-[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-80-1P**, Glycine, N-[[3-(ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(pentylphenoxy)carbonyl]- **331741-82-3P**, Glycine, N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-83-4P**, Glycine, N-[[3-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-84-5P**, Glycine, N-[[3-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-85-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-86-7P**, Glycine, N-[[4-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-87-8P**, Glycine, N-[[4-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-88-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-89-0P**, Glycine, N-[[3-(5-dimethoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-90-3P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-91-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(phenoxyphenyl)methoxy]carbonyl]- **331741-92-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-propynyloxy]carbonyl]- **331741-93-6P**, Glycine, N-[[4-(methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-94-7P**, Glycine, N-[[4-(methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-95-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-nitrophenoxy]carbonyl]- **331741-96-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-

(phenoxy carbonyl)- **331741-97-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-nitrophenyl)methoxy]carbonyl]- **331741-98-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-99-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331742-00-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl)methoxy]carbonyl]- **331742-01-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl)methoxy]carbonyl]- **331742-02-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331742-03-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331742-04-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331742-05-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-06-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenyl-2-propenyl]oxy]carbonyl]- **331742-07-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331742-08-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331742-09-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-10-0P**, Glycine, N-[(2-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-11-1P**, Glycine, N-[(3-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-12-2P**, Glycine, N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-13-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331742-14-4P**, Glycine, N-[(3-acetylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-15-5P**, Glycine, N-[[4-methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-16-6P**, Glycine, N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-17-7P**, Glycine, N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-18-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331742-19-9P**, Glycine, N-[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-20-2P**, Glycine, N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-21-3P**, Benzoic acid, 4-[[[(carboxymethyl)[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]carbonyl]oxy]-, 1-methyl ester **331742-22-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]- **331742-23-5P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-24-6P**, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-25-7P**, Glycine, N-[(4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-26-8P**, Glycine, N-[(4-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl] - **331742-27-9P**, Glycine,
N-[[4-(4-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-28-0P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(trifluoromethoxy)phenoxy]carbonyl] - **331742-29-1P**, Glycine,
N-[[3-(3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-30-4P**, Glycine,
N-[[3-(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-31-5P**, Glycine,
N-[[3-(3-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-32-6P**, Glycine,
N-[[3-(3,5-difluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-33-7P**, Glycine,
N-[[3-(3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-34-8P**, Glycine,
N-[[3-(3-chloro-4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-35-9P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3,4,5-trimethylphenoxy]carbonyl] - **331742-36-0P**, Glycine,
N-[[4-(4-chloro-3,5-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-37-1P**, Glycine,
N-[[3,4-difluorophenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-38-2P**, Glycine,
N-[[4-(4-ethenylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-39-3P**, Glycine,
N-[[4-(4-fluoro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-40-6P**, Glycine,
N-[[4-(4-chloro-3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-41-7P**, Glycine,
N-[[3-methyl-4-(methylthio)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-42-8P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(1H-pyrrol-1-yl)phenoxy]carbonyl] - **331742-43-9P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5,6,7,8-tetrahydro-2-naphthalenyl]oxy]carbonyl] - **331742-44-0P**, Glycine,
N-[[1,1'-biphenyl]-3-yloxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-45-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(trifluoromethyl)phenoxy]carbonyl] - **331742-46-2P**, Glycine,
N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-47-3P**, Glycine,
N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-48-4P**, Glycine,
N-[[3,4-dimethylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-49-5P**, Glycine,
N-[[3,5-dimethylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-50-8P**, Glycine,
N-[[3-(3-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-51-9P**, Glycine,
N-[[4-(4-chloro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-52-0P**, Glycine,
N-[[4-(4-(1-methylethyl)phenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-53-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl] - **331742-54-2P**, Glycine,
N-[[4-(4-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-55-3P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(propylphenoxy)carbonyl] - **331742-56-4P**, Glycine,
N-[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331742-57-5P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-naphthalenyloxy)carbonyl]- **331742-58-6P**, Glycine,
N-[(3-ethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-59-7P**, Glycine,
N-[(3,5-dichlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-60-0P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(1,2,3-thiadiazol-4-yl)phenoxy]carbonyl]- **331742-61-1P**, Glycine,
N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-62-2P**, Glycine,
N-[(3-methoxy-5-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-63-3P**, Glycine,
N-[(3-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-64-4P**, Glycine,
N-[(3-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-65-5P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[3-(trifluoromethoxy)phenyl)methoxy]carbonyl]- **331742-66-6P**, Glycine, N-[[4-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-67-7P**, Glycine,
N-[[4-(chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-68-8P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(trifluoromethoxy)phenyl)methoxy]carbonyl]- **331742-69-9P**, Glycine, N-[[3,5-dimethoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-70-2P**, Glycine,
N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-71-3P**, Glycine,
N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-72-4P**, Glycine,
N-[(3-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-73-5P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(phenoxythioxomethyl)- **331742-74-6P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(phenoxythioxomethyl)- **331742-75-7P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(4-phenoxybenzoyl)- **331742-76-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(2-naphthalenylcarbonyl)- **331742-77-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(2-thienylcarbonyl)- **331742-78-0P**, Glycine, N-(3,5-dimethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-79-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(1-naphthalenylcarbonyl)- **331742-80-4P**, Glycine,
N-(3,4-difluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-81-5P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(3-phenoxybenzoyl)- **331742-82-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(phenylmethyl)benzoyl]- **331742-83-7P**, Glycine, N-(3,5-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-84-8P**, Glycine, N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-85-9P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(5-methyl-2-thienyl)carbonyl]- **331742-86-0P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(5-nitro-2-thienyl)carbonyl]- **331742-87-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-methyl-2-thienyl)carbonyl]-

331742-88-2P, Glycine, N-(4-butoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-89-3P**, Glycine, N-(4-methoxy-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-90-6P**, Glycine, N-(3-chloro-4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-91-7P**, Glycine, N-(3,4-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-92-8P**, Glycine, N-(4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-93-9P**, Glycine, N-(3-fluoro-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-94-0P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(methylthio)benzoyl]- **331742-95-1P**, Glycine, N-[4-(1-methylethyl)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-96-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(2-methylpropyl)benzoyl]- **331742-97-3P**, Glycine, N-(4-chloro-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-98-4P**, Glycine, N-(3-methoxy-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-99-5P**, Glycine, N-(1,3-benzodioxol-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-00-1P**, Glycine, N-[4-(1-methylethoxy)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-02-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-thienylcarbonyl)- **331743-04-5P**, Glycine, N-benzoyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-05-6P**, Glycine, N-(3-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-06-7P**, Glycine, N-(4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-07-8P**, Glycine, N-(3,4-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-08-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-propoxybenzoyl)- **331743-09-0P**, Glycine, N-(4-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-10-3P**, Glycine, N-(3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-11-4P**, Glycine, N-(4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-12-5P**, Glycine, N-(3-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-13-6P**, Glycine, N-(4-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-14-7P**, Glycine, N-(4-butylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-15-8P**, Glycine, N-(3,5-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-16-9P**, Glycine, N-(3-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-17-0P**, Glycine, N-(3-chloro-4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-18-1P**, Glycine, N-(3-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-19-2P**, Glycine, N-[[5-chloro-2-thienyl]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-20-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]- **331743-21-6P**, Glycine,

N-[(4-methylphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-22-7P**, Glycine,
N-[(3-fluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-23-8P**, Glycine,
N-[(3,5-difluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-24-9P**, Glycine,
N-(1,3-benzodioxol-5-ylacetyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-25-0P**, Glycine,
N-[(4-ethoxyphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-26-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-nitrophenyl)acetyl]- **331743-27-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenyl)acetyl]- **331743-28-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-oxo-3-phenylpropyl)- **331743-29-4P**, Glycine, N-([1,1'-biphenyl]-2-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-30-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)- **331743-31-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-(phenylmethyl)benzoyl]- **331743-32-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[3-(phenylsulfinyl)benzoyl]- **331743-33-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-[(4-methylphenyl)thio]benzoyl]- **331743-34-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-(phenylsulfinyl)benzoyl]- **331743-35-2P**, Glycine, N-(5-chloro-2-phenoxybenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-36-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-phenoxybenzoyl)- **331743-37-4P**, Glycine, N-([1,1'-biphenyl]-4-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-38-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenoxybenzoyl)- **331743-39-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenyl)acetyl]- **331743-40-9P**, Glycine, N-([1,1'-biphenyl]-4-ylacetyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-41-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(phenylmethyl)benzoyl]- **331743-42-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-(1H-pyrrol-1-yl)benzoyl]- **331743-43-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)acetyl]- **331743-44-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenyl)acetyl]- **331743-45-4P**, Glycine, N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-46-5P**, Glycine, N-(3,4-dimethylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-47-6P**, Glycine, N-(4-chloro-3-methylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-48-7P**, Glycine, N-(3,4-difluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-49-8P**, Glycine, N-(3,4-dichlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-50-1P**, Glycine, N-(3-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-51-2P**, Glycine, N-(4-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-52-3P**, Glycine, N-(3-chloro-4-fluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331743-53-4P**, Glycine,
N-[4-(1-methylethyl)benzoyl]-N-[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331743-54-5P**, Glycine,
N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(2-
methylpropyl)benzoyl]- **331743-55-6P**, Glycine,
N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(4-
propoxybenzoyl)- **331743-56-7P**, Glycine, N-(4-butylbenzoyl)-N-[4-
[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-57-8P, Glycine, N-[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[5-(methylthio)-2-thienyl]carbonyl]-
331743-58-9P, Glycine, N-[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethyl)amino]carbonyl]-
331743-59-0P, Glycine, N-[(4-methoxyphenyl)amino]carbonyl]-N-[3-
[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-60-3P, Glycine, N-[(4-methoxyphenyl)methylamino]carbonyl]-
N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-61-4P, Glycine, N-[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-
[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-62-5P, Glycine, N-[(3,5-dimethoxyphenyl)amino]carbonyl]-N-
[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-63-6P, Glycine, N-[(3,5-dichlorophenyl)amino]carbonyl]-N-
[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-64-7P, Glycine, N-[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-
331743-65-8P, Glycine, N-[(2,4-difluorophenyl)amino]carbonyl]-N-
[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-66-9P, Glycine, N-[(2,4-dimethoxyphenyl)amino]carbonyl]-N-
[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-67-0P, Glycine, N-[(2-methoxyphenyl)amino]carbonyl]-N-[3-
[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-68-1P, Glycine, N-[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-
[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-69-2P, Glycine, N-[(3,5-dimethoxyphenyl)amino]carbonyl]-N-
[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-70-5P, Glycine, N-[(3,5-dichlorophenyl)amino]carbonyl]-N-
[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-71-6P, Glycine, N-[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-
331743-72-7P, Glycine, N-[(2,4-difluorophenyl)amino]carbonyl]-N-
[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-73-8P, Glycine, N-[(2,4-dimethoxyphenyl)amino]carbonyl]-N-
[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-74-9P, Glycine, N-[(4-methoxyphenyl)amino]carbonyl]-N-[4-
[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-75-0P, Glycine, N-[(2-methoxyphenyl)amino]carbonyl]-N-[4-
[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-76-1P, Glycine, N-[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-(1-naphthalenylsulfonyl)-
331743-77-2P, Glycine, N-[(4-fluorophenyl)methyl]sulfonyl]-N-[3-
[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331743-78-3P, Glycine, N-[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]-N-(phenylsulfonyl)- **331743-79-4P**,
Glycine, N-[(2,5-dichlorophenyl)sulfonyl]-N-[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331743-80-7P**, Glycine,
N-[(4-fluorophenyl)sulfonyl]-N-[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331743-81-8P**, Glycine,
N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-
[(phenylmethyl)sulfonyl]- **331743-82-9P**, Glycine,
N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(1E)-2-
phenylethenyl]sulfonyl]- **331743-83-0P**, Glycine,

N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,2,2-trifluoroethyl)sulfonyl]- **331743-84-1P**, Glycine,
 N-[(2,5-dimethylphenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331743-85-2P**, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-86-3P**, Glycine, N-[(2,5-dichloro-3-thienyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-87-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-pyridinyl)sulfonyl]-2-thienyl]sulfonyl]- **331743-88-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[3-(trifluoromethyl)phenyl]methyl]sulfonyl]- **331743-89-6P**, Glycine, N-[[[3-(methylphenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-90-9P**, Glycine, N-[[[2-fluorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-91-0P**, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-92-1P**, Glycine, N-[[[3,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-93-2P**, Glycine, N-[[[2-chloro-6-fluorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-94-3P**, Glycine, N-[[[4-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-95-4P**, Glycine, N-[[[2-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-96-5P**, Glycine, N-[[[2,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-97-6P**, Glycine, N-[[[2-methylphenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-98-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[4-(trifluoromethoxy)phenyl]methyl]sulfonyl]- **331743-99-8P**, Glycine, N-[[[4-(1,1-dimethylethyl)phenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-00-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(propylphenyl)sulfonyl]- **331744-01-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenyl)sulfonyl]- **331744-02-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylsulfonyl)- **331744-03-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,4,6-trimethylphenyl)sulfonyl]- **331744-04-8P**, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-05-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethyl)sulfonyl]- **331744-06-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[1E]-2-phenylethenyl]sulfonyl]- **331744-07-1P**, Glycine, N-[[2,5-dimethylphenyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-08-2P**, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-09-3P**, Glycine, N-[[4-(2-chloro-6-nitrophenoxy)phenyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-10-6P**, Glycine, N-(2-dibenzofuranyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331744-11-7P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[3-(trifluoromethyl)phenyl)methyl]sulfonyl]- **331744-12-8P**, Glycine,
N-[[[3-methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-13-9P**, Glycine,
N-[[[2-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-14-0P**, Glycine,
N-[[[4-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-15-1P**, Glycine,
N-[[[3,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-16-2P**, Glycine,
N-[[[2-chloro-6-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-17-3P**, Glycine,
N-[[[4-chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-18-4P**, Glycine,
N-[[[2-chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-19-5P**, Glycine,
N-[[[2,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-20-8P**, Glycine,
N-[[[2-methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-21-9P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(trifluoromethoxy)phenyl)methyl]sulfonyl]- **331744-22-0P**, Glycine,
N-[[[4-(1,1-dimethylethyl)phenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-25-3P**, Glycine,
N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[4-(phenoxyphenyl)methyl]- **331744-26-4P**, Glycine,
N-[[[5-(2-chlorophenyl)-2-furanyl)methyl]-N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-27-5P**, Glycine,
N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[[phenylmethoxy]carbonyl]- **331744-28-6P**, Glycine,
N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[[phenylmethyl]- **331744-30-0P**, Glycine,
N-[[[4-(methoxyphenoxy)carbonyl]-N-[[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-31-1P**, .beta.-Alanine,
N-[[[3-chlorophenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-32-2P**, .beta.-Alanine,
N-[[[3-chlorophenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-33-3P**, .beta.-Alanine,
N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenoxy]carbonyl]- **331744-34-4P**, .beta.-Alanine,
N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(phenoxyphenyl)methyl]- **331744-35-5P**, .beta.-Alanine,
N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenylmethoxy]carbonyl]- **331744-36-6P**, .beta.-Alanine,
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenoxy]carbonyl]- **331744-37-7P**, .beta.-Alanine,
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(phenoxyphenyl)methyl]- **331744-38-8P**, .beta.-Alanine,
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenylmethoxy]carbonyl]- **331744-39-9P**, Glycine,
N-[[[3-(cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-40-2P**, Glycine,
N-[[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-41-3P**, Glycine,
N-[[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-42-4P**, Glycine,
N-[[[3-fluoro-4-methylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-43-5P**, Glycine,
N-[[[3-chloro-4-methylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl] - **331744-44-6P**, Glycine,
N-[(3-bromo-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-45-7P**, Glycine,
N-[(3-fluoro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-46-8P**, Glycine,
N-[(3-chloro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-47-9P**, Glycine,
N-[(3-bromo-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-48-0P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-propylphenoxy)carbonyl] - **331744-49-1P**, Glycine,
N-[(4-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-50-4P**, Glycine,
N-[[4-(cyclopropyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-51-5P**, Glycine,
N-[(3-fluoro-4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-52-6P**, Glycine,
N-[(3-chloro-4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-53-7P**, Glycine,
N-[(3-bromo-4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-54-8P**, Glycine,
N-[(3-fluoro-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-55-9P**, Glycine,
N-[(3-chloro-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-56-0P**, Glycine,
N-[(3-bromo-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-57-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-propylphenoxy)carbonyl] - **331744-58-2P**, Glycine,
N-[(3-cyclopropylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-59-3P**, Glycine,
N-[(4-cyclopropylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-60-6P**, Glycine,
N-[[4-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-61-7P**, Benzoic acid,
2-(carboxymethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]hydrazide **331744-62-8P**, Benzoic acid,
2-(carboxymethyl)-2-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]hydrazide **331744-63-9P**, Glycine,
N-[(4-methylphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-64-0P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-65-1P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-66-2P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl] - **331744-67-3P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl] - **331744-68-4P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl] - **331744-69-5P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl] - **331744-70-8P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl] - **331744-72-0P**, Glycine,
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-73-1P**, Glycine,
N-[(4-methylphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-74-2P**, Glycine,
N-[(4-methylphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl]pentyl] - **331744-75-3P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]propyl] - **331744-76-4P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl] - **331744-77-5P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-78-6P**, Glycine,
 N-[(3-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-79-7P**, Glycine,
 N-[(3-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-80-0P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-81-1P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-82-2P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-83-3P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-84-4P**, Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-87-7P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-88-8P**, L-Alanine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331744-89-9P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-90-2P**, D-Alanine,
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-91-3P**, D-Alanine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331744-94-6P**, Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-95-7P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-96-8P**, D-Alanine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-97-9P**, D-Alanine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331744-98-0P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-99-1P**, L-Alanine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331745-00-7P**, L-Alanine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331745-01-8P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-02-9P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-03-0P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-04-1P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-05-2P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl] - **331745-06-3P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl] - **331745-07-4P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl] - **331745-08-5P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-

oxazolyl)propoxy]phenyl)methyl]- **331745-09-6P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[(2Z)-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl)methyl]- **331745-10-9P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-11-0P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-12-1P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-13-2P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl)methyl]- **331745-14-3P**, Glycine,
 N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-15-4P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-16-5P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-17-6P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-18-7P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl)methyl]- **331745-19-8P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl)methyl]- **331745-20-1P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl)methyl]- **331745-21-2P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl)methyl]- **331745-22-3P**, Glycine,
 N-(5-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331745-23-4P**, Glycine,
 N-(5-methyl-2-benzoxazolyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331745-24-5P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]- **331745-25-6P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-26-7P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-33-6P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethoxy)carbonyl]- **331745-34-7P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)methyl]- **331745-35-8P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl)methyl]- **331745-41-6P**, Glycine,
 N-[[4-[2-[2-(4-chlorophenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl)methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-42-7P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(3-methoxyphenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl)methyl]- **331745-43-8P**, Glycine,
 N-[[3-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-44-9P**, Glycine,
 N-[[3-[2-[2-(2-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-45-0P**, Glycine,
 N-[[4-[2-[2-(2-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-46-1P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(oxophenylacetyl)- **331745-47-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(oxophenylacetyl)- **331745-49-4P**,
 Glycine, N-[[[(4-methoxyphenyl)thio]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331745-60-9P**, Glycine,
 N-[(3-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-

oxazolyl)methoxy]phenyl]ethyl]- **331745-69-8P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1S)-1-phenylethyl]- **331746-91-9P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]- **331746-92-0P**, Glycine,
 N-[[4-(4-methoxyphenyl)thio]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331746-93-1P**, L-Alanine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331746-95-3P**, Glycine,
 N-(6-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **439276-48-9P**

439276-49-0P 439276-50-3P 439276-51-4P

439276-54-7P 439276-55-8P 439276-57-0P

439276-58-1P 439276-61-6P 439276-62-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331746-63-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331746-64-6, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-65-7**,
 Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-66-8**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate)
331746-68-0, Glycine, N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-69-1**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)-, 1,1-dimethylethyl ester **331746-70-4**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylcarbonyl)-, 1,1-dimethylethyl ester **331746-71-5**,
 Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylsulfonyl)-, 1,1-dimethylethyl ester **331746-74-8**,
 .beta.-Alanine, N-[[3-(chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-75-9**,
 Glycine, N-(chlorocarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-76-0**,
 Glycine, N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-83-9**,
 Glycine, N-[[4-(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331746-88-4, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-, 1,1-dimethylethyl ester **331746-89-5**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-, methyl ester

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331745-61-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)-, ethyl ester
331745-62-1P, Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-63-2P**,
 Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-64-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331745-65-4P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-,

1,1-dimethylethyl ester **331745-66-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331745-67-6P, Glycine, N-[(4-hydroxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331745-68-7P, Glycine, N-[(4-boronophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1-(1,1-dimethylethyl) ester
331745-71-2P, Glycine, N-(chlorocarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331745-72-3P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]-, 1,1-dimethylethyl ester
331745-73-4P, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331745-75-6P, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331745-76-7P, Glycine, N-[[4-methoxyphenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester
331745-77-8P, Glycine, N-[[4-methoxyphenyl]methylamino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester
331745-88-1P, Glycine, N-[(2,4-dinitrophenyl)sulfonyl]-N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester
331745-89-2P, Glycine, N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester
331745-93-8P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester
331745-95-0P, Glycine, N-[(3-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester
331746-04-4P, Benzoic acid, 2-(2-ethoxy-2-oxoethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide
331746-06-6P, Glycine, N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester
331746-07-7P, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester
331746-10-2P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester
331746-12-4P, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]-, methyl ester
331746-13-5P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester
331746-14-6P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]-, methyl ester
331746-16-8P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]-, ethyl ester
331746-21-5P, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester
331746-22-6P, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331746-26-0P, L-Alanine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester
331746-30-6P, Glycine, N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester
331746-32-8P, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]-, methyl ester
331746-37-3P, Glycine, N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester
331746-38-4P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester
331746-43-1P, Glycine, N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester
331746-44-2P,

Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester
331746-45-3P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[(2Z)-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-47-5P**, Glycine, N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-48-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-52-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-, methyl ester **331746-53-3P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-54-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-62-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl]methyl]-, methyl ester **331746-67-9P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-79-3P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester **331746-94-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(phenylmethyl)amino]carbonyl]-, ethyl ester **439573-67-8P**
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


L39 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2001:228872 HCAPLUS
 DN 134:266299
 TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents.
 IN **Cheng, Peter T. W.; Devasthale, Pratik; Jeon, Yoon T.; Chen, Sean; Zhang, Hao**
 PA **Bristol-Myers Squibb** Company, USA
 SO PCT Int. Appl., 362 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001021602	A1	20010329	WO 2000-US25710	20000919
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG EP 1218361 A1 20020703 EP 2000-965172 20000919 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL BR 2000014189 A 20020820 BR 2000-14189 20000919				

TR 200200732	T2 20021021	TR 2002-20020073220000919
JP 2003509503	T2 20030311	JP 2001-524981 20000919
ZA 2002000937	A 20030502	ZA 2002-937 20020201
NO 2002001408	A 20020514	NO 2002-1408 20020321
PRAI US 1999-155400P	P 19990922	
WO 2000-US25710	W 20000919	
OS MARPAT 134:266299		
GI		



I



II


AB Title compds. [I; Q = C, N; A = O, S; B = (CH₂)_x; Z = O, bond; X = CH, N; R₁ = H, alkyl; R₂ = H, alkyl, alkoxy, halo, amino; R₃ = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxyarylalkyl, etc.; R_{2a}, R_{2b}, R_{2c} = H, alkyl, alkoxy, halo, amino; Y = CO₂R₄, 1-tetrazolyl, PO(OR_{4a})R₅; R₄ = H, alkyl, prodrug or ester; R_{4a} = H, prodrug ester; R₅ = alkyl, aryl; x = 1-4; m, n = 1, 2], were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). Thus, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph₃P, and DEAD were stirred in THF at 0.degree.-room temperature to give 65% 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde. This was stirred 12 h with N-benzylglycine Et ester and NaBH(OAc)₃ in 1,2-dichloroethane to give 55% benzylamine derivative, which was stirred 14 h with aqueous NaOH in MeOH to give 71% title compound (II).

IT 331739-69-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



IT 331739-69-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P
 331739-71-0P 331739-72-1P 331739-73-2P
 331739-74-3P 331739-75-4P 331739-76-5P
 331739-77-6P 331739-78-7P 331739-79-8P
 331739-80-1P 331739-81-2P 331739-82-3P
 331739-83-4P 331739-84-5P 331739-85-6P
 331739-86-7P 331739-87-8P 331739-88-9P
 331739-89-0P 331739-90-3P 331739-91-4P
 331739-92-5P 331739-93-6P 331739-94-7P
 331739-95-8P 331739-96-9P 331739-97-0P
 331739-98-1P 331739-99-2P 331740-00-2P
 331740-01-3P 331740-02-4P 331740-03-5P
 331740-04-6P 331740-05-7P 331740-06-8P
 331740-07-9P 331740-08-0P 331740-09-1P
 331740-10-4P 331740-11-5P 331740-12-6P
 331740-13-7P 331740-14-8P 331740-15-9P
 331740-16-0P 331740-17-1P 331740-18-2P
 331740-19-3P 331740-20-6P 331740-21-7P
 331740-22-8P 331740-23-9P 331740-24-0P
 331740-25-1P 331740-26-2P 331740-27-3P
 331740-28-4P 331740-29-5P 331740-30-8P
 331740-31-9P 331740-32-0P 331740-33-1P
 331740-34-2P 331740-35-3P 331740-36-4P
 331740-37-5P 331740-38-6P 331740-39-7P
 331740-40-0P 331740-41-1P 331740-42-2P
 331740-43-3P 331740-44-4P 331740-45-5P
 331740-46-6P 331740-47-7P 331740-48-8P
 331740-49-9P 331740-50-2P 331740-51-3P
 331740-52-4P 331740-53-5P 331740-54-6P
 331740-55-7P 331740-56-8P 331740-57-9P
 331740-58-0P 331740-59-1P 331740-60-4P
 331740-61-5P 331740-62-6P 331740-63-7P
 331740-64-8P 331740-65-9P 331740-66-0P
 331740-67-1P 331740-68-2P 331740-69-3P
 331740-70-6P 331740-71-7P 331740-72-8P
 331740-73-9P 331740-74-0P 331740-75-1P
 331740-76-2P 331740-77-3P 331740-78-4P
 331740-79-5P 331740-80-8P 331740-81-9P
 331740-82-0P 331740-83-1P 331740-84-2P
 331740-85-3P 331740-86-4P 331740-87-5P
 331740-88-6P 331740-89-7P 331740-90-0P
 331740-91-1P 331740-92-2P 331740-93-3P
 331740-94-4P 331740-95-5P 331740-96-6P
 331740-97-7P 331740-98-8P 331740-99-9P

331741-00-5P 331741-01-6P 331741-02-7P
331741-03-8P 331741-04-9P 331741-05-0P
331741-06-1P 331741-07-2P 331741-08-3P
331741-09-4P 331741-10-7P 331741-11-8P
331741-12-9P 331741-13-0P 331741-14-1P
331741-15-2P 331741-16-3P 331741-17-4P
331741-18-5P 331741-19-6P 331741-20-9P
331741-21-0P 331741-22-1P 331741-23-2P
331741-24-3P 331741-25-4P 331741-26-5P
331741-27-6P 331741-28-7P 331741-29-8P
331741-30-1P 331741-31-2P 331741-32-3P
331741-33-4P 331741-34-5P 331741-35-6P
331741-36-7P 331741-37-8P 331741-38-9P
331741-39-0P 331741-40-3P 331741-41-4P
331741-42-5P 331741-43-6P 331741-44-7P
331741-45-8P 331741-46-9P 331741-47-0P
331741-48-1P 331741-49-2P 331741-50-5P
331741-51-6P 331741-52-7P 331741-53-8P
331741-54-9P 331741-55-0P 331741-56-1P
331741-57-2P 331741-58-3P 331741-59-4P
331741-60-7P 331741-61-8P 331741-63-0P
331741-64-1P 331741-65-2P 331741-66-3P
331741-67-4P 331741-68-5P 331741-69-6P
331741-70-9P 331741-71-0P 331741-72-1P
331741-73-2P 331741-74-3P 331741-75-4P
331741-76-5P 331741-77-6P 331741-78-7P
331741-79-8P 331741-80-1P 331741-81-2P
331741-82-3P 331741-83-4P 331741-84-5P
331741-85-6P 331741-86-7P 331741-87-8P
331741-88-9P 331741-89-0P 331741-90-3P
331741-91-4P 331741-92-5P 331741-93-6P
331741-94-7P 331741-95-8P 331741-96-9P
331741-97-0P 331741-98-1P 331741-99-2P
331742-00-8P 331742-01-9P 331742-02-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P
331742-06-4P 331742-07-5P 331742-08-6P
331742-09-7P 331742-10-0P 331742-11-1P
331742-12-2P 331742-13-3P 331742-14-4P
331742-15-5P 331742-16-6P 331742-17-7P
331742-18-8P 331742-19-9P 331742-20-2P
331742-21-3P 331742-22-4P 331742-23-5P
331742-24-6P 331742-25-7P 331742-26-8P
331742-27-9P 331742-28-0P 331742-29-1P
331742-30-4P 331742-31-5P 331742-32-6P
331742-33-7P 331742-34-8P 331742-35-9P
331742-36-0P 331742-37-1P 331742-38-2P
331742-39-3P 331742-40-6P 331742-41-7P
331742-42-8P 331742-43-9P 331742-44-0P
331742-45-1P 331742-46-2P 331742-47-3P
331742-48-4P 331742-49-5P 331742-50-8P
331742-51-9P 331742-52-0P 331742-53-1P
331742-54-2P 331742-55-3P 331742-56-4P
331742-57-5P 331742-58-6P 331742-59-7P
331742-60-0P 331742-61-1P 331742-62-2P
331742-63-3P 331742-64-4P 331742-65-5P

331742-66-6P 331742-67-7P 331742-68-8P
331742-69-9P 331742-70-2P 331742-71-3P
331742-72-4P 331742-73-5P 331742-74-6P
331742-75-7P 331742-76-8P 331742-77-9P
331742-78-0P 331742-79-1P 331742-80-4P
331742-81-5P 331742-82-6P 331742-83-7P
331742-84-8P 331742-85-9P 331742-86-0P
331742-87-1P 331742-88-2P 331742-89-3P
331742-90-6P 331742-91-7P 331742-92-8P
331742-93-9P 331742-94-0P 331742-95-1P
331742-96-2P 331742-97-3P 331742-98-4P
331742-99-5P 331743-00-1P 331743-02-3P
331743-04-5P 331743-05-6P 331743-06-7P
331743-07-8P 331743-08-9P 331743-09-0P
331743-10-3P 331743-11-4P 331743-12-5P
331743-13-6P 331743-14-7P 331743-15-8P
331743-16-9P 331743-17-0P 331743-18-1P
331743-19-2P 331743-20-5P 331743-21-6P
331743-22-7P 331743-23-8P 331743-24-9P
331743-25-0P 331743-26-1P 331743-27-2P
331743-28-3P 331743-29-4P 331743-30-7P
331743-31-8P 331743-32-9P 331743-33-0P
331743-34-1P 331743-35-2P 331743-36-3P
331743-37-4P 331743-38-5P 331743-39-6P
331743-40-9P 331743-41-0P 331743-42-1P
331743-43-2P 331743-44-3P 331743-45-4P
331743-46-5P 331743-47-6P 331743-48-7P
331743-49-8P 331743-50-1P 331743-51-2P
331743-52-3P 331743-53-4P 331743-54-5P
331743-55-6P 331743-56-7P 331743-57-8P
331743-58-9P 331743-59-0P 331743-60-3P
331743-61-4P 331743-62-5P 331743-63-6P
331743-64-7P 331743-65-8P 331743-66-9P
331743-67-0P 331743-68-1P 331743-69-2P
331743-70-5P 331743-71-6P 331743-72-7P
331743-73-8P 331743-74-9P 331743-75-0P
331743-76-1P 331743-77-2P 331743-78-3P
331743-79-4P 331743-80-7P 331743-81-8P
331743-82-9P 331743-83-0P 331743-84-1P
331743-85-2P 331743-86-3P 331743-87-4P
331743-88-5P 331743-89-6P 331743-90-9P
331743-91-0P 331743-92-1P 331743-93-2P
331743-94-3P 331743-95-4P 331743-96-5P
331743-97-6P 331743-98-7P 331743-99-8P
331744-00-4P 331744-01-5P 331744-02-6P
331744-03-7P 331744-04-8P 331744-05-9P
331744-06-0P 331744-07-1P 331744-08-2P
331744-09-3P 331744-10-6P 331744-11-7P
331744-12-8P 331744-13-9P 331744-14-0P
331744-15-1P 331744-16-2P 331744-17-3P
331744-18-4P 331744-19-5P 331744-20-8P
331744-21-9P 331744-22-0P 331744-25-3P
331744-26-4P 331744-27-5P 331744-28-6P
331744-30-0P 331744-31-1P 331744-32-2P
331744-33-3P 331744-34-4P 331744-35-5P
331744-36-6P 331744-37-7P 331744-38-8P
331744-39-9P 331744-40-2P 331744-41-3P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P
 331744-45-7P 331744-46-8P 331744-47-9P
 331744-48-0P 331744-49-1P 331744-50-4P
 331744-51-5P 331744-52-6P 331744-53-7P
 331744-54-8P 331744-55-9P 331744-56-0P
 331744-57-1P 331744-58-2P 331744-59-3P
 331744-60-6P 331744-61-7P 331744-62-8P
 331744-63-9P 331744-64-0P 331744-65-1P
 331744-66-2P 331744-67-3P 331744-68-4P
 331744-69-5P 331744-70-8P 331744-72-0P
 331744-73-1P 331744-74-2P 331744-75-3P
 331744-76-4P 331744-77-5P 331744-78-6P
 331744-79-7P 331744-80-0P 331744-81-1P
 331744-82-2P 331744-83-3P 331744-84-4P
 331744-87-7P 331744-88-8P 331744-89-9P
 331744-90-2P 331744-91-3P 331744-94-6P
 331744-95-7P 331744-96-8P 331744-97-9P
 331744-98-0P 331744-99-1P 331745-00-7P
 331745-01-8P 331745-02-9P 331745-03-0P
 331745-04-1P 331745-05-2P 331745-06-3P
 331745-07-4P 331745-08-5P 331745-09-6P
 331745-10-9P 331745-11-0P 331745-12-1P
 331745-13-2P 331745-14-3P 331745-15-4P
 331745-16-5P 331745-17-6P 331745-18-7P
 331745-19-8P 331745-20-1P 331745-21-2P
 331745-22-3P 331745-23-4P 331745-24-5P
 331745-25-6P 331745-26-7P 331745-33-6P
 331745-34-7P 331745-35-8P 331745-41-6P
 331745-42-7P 331745-43-8P 331745-44-9P
 331745-45-0P 331745-46-1P 331745-47-2P
 331745-49-4P 331745-60-9P 331745-69-8P
 331746-91-9P 331746-92-0P 331746-93-1P
 331746-95-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7
 331746-66-8 331746-68-0 331746-69-1
 331746-70-4 331746-71-5 331746-74-8
 331746-75-9 331746-76-0 331746-83-9
 331746-88-4 331746-89-5

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P
 331745-64-3P 331745-65-4P 331745-66-5P
 331745-67-6P 331745-68-7P 331745-71-2P
 331745-72-3P 331745-73-4P 331745-75-6P
 331745-76-7P 331745-77-8P 331745-88-1P
 331745-89-2P 331745-93-8P 331745-95-0P
 331746-04-4P 331746-06-6P 331746-07-7P
 331746-10-2P 331746-12-4P 331746-13-5P
 331746-14-6P 331746-16-8P 331746-21-5P
 331746-22-6P 331746-26-0P 331746-30-6P
 331746-32-8P 331746-37-3P 331746-38-4P
 331746-43-1P 331746-44-2P 331746-45-3P

331746-47-5P 331746-48-6P 331746-52-2P

331746-53-3P 331746-54-4P 331746-62-4P

331746-67-9P 331746-79-3P 331746-94-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d bib abs hitstr l41 tot

L41 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:179723 HCAPLUS

DN 134:222524

TI Preparation of 4-[[[(carboxyalkyl)amino]methyl]benzoates and analogs as guanylate cyclase stimulators

IN Alonso-Alija, Cristina; Heil, Markus; Flubacher, Dietmar; Naab, Paul; Pernerstorfer, Josef; Stasch, Johannes-Peter; Wunder, Frank; Dembowski, Klaus; Perzborn, Elisabeth; Stahl, Elke

PA Bayer AG, Germany

SO Ger. Offen., 80 pp.


CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 19943635	A1	20010315	DE 1999-19943635	19990913 <--
	WO 2001019780	A2	20010322	WO 2000-EP8469	20000831 <--
	WO 2001019780	A3	20010907		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	BR 2000014179	A	20020521	BR 2000-14179	20000831 <--
	EP 1216225	A2	20020626	EP 2000-958516	20000831 <--
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
	TR 200200649	T2	20020722	TR 2002-200200649	20000831 <--
	JP 2003509401	T2	20030311	JP 2001-523361	20000831 <--
	EE 200200130	A	20030415	EE 2002-130	20000831 <--
	AU 767750	B2	20031120	AU 2000-70009	20000831 <--
	AU 2000070009	A5	20010417		
	ZA 2002001299	A	20030311	ZA 2002-1299	20020215 <--
	BG 106494	A	20030331	BG 2002-106494	20020307 <--
	NO 2002001226	A	20020503	NO 2002-1226	20020312 <--
PRAI	DE 1999-19943635	A	19990913 <--		
	WO 2000-EP8469	W	20000831		
OS	MARPAT 134:222524				
GI					




AB Title compds., e.g., RZ₂CH₂CH₂N(Z₁R₁)CH₂Z₂R₂ [R = N-attached heterocyclyl, (hetero)aryl, etc.; R₁,R₂ = CO₂H, alkoxy carbonyl, CONH₂, etc.; Z = bond, alk(en)ylene, etc.; Z₁ = (un)interrupted alk(en)ylene, etc.; Z₂,Z₃ = (un)substituted phenylene] were prepared. Thus, 2-(MeO)C₆H₄CH₂CH₂NH₂ was reductively alkylated by 4-(OHC)C₆H₄CO₂Me and the product N-alkylated by Br(CH₂)₄CO₂Me to give, in 2 addnl. steps, title compound I. Data for biol. activity of title compds. were given.

IT 329773-88-8P 329773-99-1P 329774-05-2P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 4-[[[(carboxyalkyl)amino]methyl]benzoates and analogs as guanylate cyclase stimulators)


RN 329773-88-8 HCAPLUS

CN Benzoic acid, 4-[[[(5-methoxy-5-oxopentyl) [2-[2-[(2-phenyl-4-thiazolyl)methoxy]phenyl]ethyl]amino]methyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 329773-99-1 HCAPLUS

CN Benzoic acid, 4-[[[(4-carboxybutyl) [2-[2-[(2-phenyl-4-thiazolyl)methoxy]phenyl]ethyl]amino]methyl]- (9CI) (CA INDEX NAME)




RN 329774-05-2 HCAPLUS
 CN Benzoic acid, 4-[[[2-[2-[[2-(4-chlorophenyl)-4-thiazolyl]methoxy]phenyl]ethyl](5-methoxy-5-oxopentyl)amino]methyl]-, methyl ester (9CI) (CA INDEX NAME)



L41 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1997:77060 HCAPLUS
 DN 126:89361
 TI Preparation of (oxazolyl)alkoxyphenylpropionic acid derivatives as hypoglycemics and hypolipemics
 IN Takeno, Hidekazu; Ikemoto, Tomoyuki; Saitoh, Isao; Watanabe, Kazuhiro
 PA Sumitomo Metal Industries, Ltd., Japan
 SO PCT Int. Appl., 94 pp.
 CODEN: PIXXD2
 DT Patent
 LA Japanese
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9638415	A1	19961205	WO 1996-JP1380	19960524 <--
	W:	AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK			
	RW:	KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML			
	JP 08325263	A2	19961210	JP 1995-133460	19950531 <--
	AU 9657791	A1	19961218	AU 1996-57791	19960524 <--
PRAI	JP 1995-133460		19950531	<--	
	WO 1996-JP1380		19960524	<--	
OS	MARPAT 126:89361				
GI					



AB The title compds. I [A represents a nitrogenous heterocycle; W represents oxygen or carbonyl; R1 represents hydroxy, an ester residue or a substituted imide group; and R2 and R3 represent each hydrogen, alkyl,

aralkyl, alkanoyl, benzoyl, etc.; R4 = H, nitro, etc.; m = 0 - 2] are prepared. The title compds. at 10 mg/kg gave 32 to 54% decrease of blood glucose in diabetic mice.


IT 185679-52-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of (oxazolyl)alkoxyphenylpropionic acid derivs. as hypoglycemics and hypolipemics)

RN 185679-52-1 HCAPLUS

CN Glycine, N-[(2S)-3-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-2-[(trifluoroacetyl)aminopropyl]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d bib abs hitstr 162 tot

L62 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:502825 HCAPLUS

DN 137:63237

TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents

IN Cheng, Peter T.; Devasthale, Pratik; Jeon,

Yoon; Chen, Sean; Zhang, Hao

PA Bristol-Myers Squibb Company, USA

SO U.S., 190 pp., Cont.-in-part of U.S. Ser. No. 664,598.

CODEN: USXXAM

DT Patent



LA English

FAN.CNT 2


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6414002	B1	20020702	US 2001-812960	20010320
	US 2003069275	A1	20030410	US 2002-80965	20020222
	US 2003087935	A1	20030508	US 2002-81075	20020222
	US 6727271	B2	20040427		
	US 2003096846	A1	20030522	US 2002-80981	20020222
	US 6653314	B2	20031125		
PRAI	US 1999-155400P	P	19990922		
	US 2000-664598	A2	20000918		
	US 2001-812960	A3	20010320		
OS	MARPAT 137:63237				
GI					

Effect

Species





- AB Title compds. I [wherein Q = C, N; A = O, S; B = (CH₂)_x; Z = O, bond; X = CH, N; R₁ = H, alkyl; R₂ = H, alkyl, alkoxy, halo, amino; R₃ = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxy, arylalkyl, etc.; R_{2a}, R_{2b}, R_{2c} = H, alkyl, alkoxy, halo, amino; Y = CO₂R₄, 1-tetrazolyl, PO(OR_{4a})R₅; R₄ = H, alkyl, prodrug or ester; R_{4a} = H, prodrug ester; R₅ = alkyl, aryl; x = 1-4; m, n = 1, 2] were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). For example, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph₃P, and DEAD were stirred in THF at 0.degree.-room temperature to give 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde (65%). Addition of N-benzylglycine Et ester and NaBH(OAc)₃ in 1,2-dichloroethane afforded the benzylamine derivative (55%), which was stirred with aqueous NaOH in MeOH for 14 h to give the title compound II (71%). I are useful for the treatment of diabetes, especially Type II diabetes, as well as hyperglycemia, hyperinsulinemia, hyperlipidemia, obesity, atherosclerosis, and related diseases (no data).
- IT **331745-63-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
- RN **331745-63-2** HCAPLUS
- CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L62 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2001:228872 HCAPLUS
 DN 134:266299
 TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents.
 IN **Cheng, Peter T. W.; Devasthale, Pratik; Jeon, Yoon T.; Chen, Sean; Zhang, Hao**
 PA **Bristol-Myers Squibb** Company, USA
 SO PCT Int. Appl., 362 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001021602	A1	20010329	WO 2000-US25710	20000919
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	EP 1218361	A1	20020703	EP 2000-965172	20000919
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
	BR 2000014189	A	20020820	BR 2000-14189	20000919
	TR 200200732	T2	20021021	TR 2002-200200732	20000919
	JP 2003509503	T2	20030311	JP 2001-524981	20000919
	ZA 2002000937	A	20030502	ZA 2002-937	20020201
	NO 2002001408	A	20020514	NO 2002-1408	20020321
PRAI	US 1999-155400P	P	19990922		
	WO 2000-US25710	W	20000919		
OS	MARPAT 134:266299				
GI					




AB Title compds. [I; Q = C, N; A = O, S; B = (CH₂)_x; Z = O, bond; X = CH, N; R1 = H, alkyl; R2 = H, alkyl, alkoxy, halo, amino; R3 = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxy, arylalkyl, etc.; R2a, R2b, R2c = H, alkyl, alkoxy, halo, amino; Y = CO₂R₄, 1-tetrazolyl, PO(OR_{4a})R₅; R4 = H, alkyl, prodrug or ester; R4a = H, prodrug ester; R5 = alkyl, aryl; x = 1-4; m, n = 1, 2], were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). Thus, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph₃P, and DEAD were stirred in THF at 0.degree.-room temperature to give 65% 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde. This was stirred 12 h with N-benzylglycine Et ester and NaBH(OAc)₃ in 1,2-dichloroethane to give 55% benzylamine derivative, which was stirred 14 h with aqueous NaOH in MeOH to give 71% title compound (II).

IT **331745-63-2P**
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> b uspatall

FILE 'USPATFULL' ENTERED AT 15:04:42 ON 13 JUL 2004
 CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 15:04:42 ON 13 JUL 2004
 CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> d bib abs fhitstr hitrn 152 tot

L52 ANSWER 1 OF 7 USPATFULL on STN

AN 2003:141004 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES
Devasthale, Pratik, Plainsboro, NJ, UNITED STATES
Jeon, Yoon, Belle Mead, NJ, UNITED STATES
Chen, Sean, Princeton, NJ, UNITED STATES
Zhang, Hao, Belle Mead, NJ, UNITED STATES

PI US 2003096846 A1 20030522
 US 6653314 B2 20031125

AI US 2002-80981 A1 20020222 (10)

RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, GRANTED,

Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598,
 filed on 18 Sep 2000, PENDING
 PRAI US 1999-155400P 19990922 (60)
 DT Utility
 FS APPLICATION
 LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O
 BOX 4000, PRINCETON, NJ, 08543-4000
 CLMN Number of Claims: 54
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 5718
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and
 R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n
 are as defined herein, which compounds are useful as antidiabetic,
 hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
 (9CI) (CA INDEX NAME)



IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P

331739-71-0P 331739-72-1P 331739-73-2P

331739-74-3P 331739-75-4P 331739-76-5P

331739-77-6P 331739-78-7P 331739-79-8P

331739-80-1P 331739-81-2P 331739-82-3P

331739-83-4P 331739-84-5P 331739-85-6P

331739-86-7P 331739-87-8P 331739-88-9P

331739-89-0P 331739-90-3P 331739-91-4P

331739-92-5P 331739-93-6P 331739-94-7P

331739-95-8P 331739-96-9P 331739-97-0P

331739-98-1P 331739-99-2P 331740-00-2P

331740-01-3P 331740-02-4P 331740-03-5P

331740-04-6P 331740-05-7P 331740-06-8P

331740-07-9P 331740-08-0P 331740-09-1P

331740-10-4P 331740-11-5P 331740-12-6P

331740-13-7P 331740-14-8P 331740-15-9P

331740-16-0P 331740-17-1P 331740-18-2P

331740-19-3P 331740-20-6P 331740-21-7P

331740-22-8P 331740-23-9P 331740-24-0P

331740-25-1P 331740-26-2P 331740-27-3P

331740-28-4P 331740-29-5P 331740-30-8P

331740-31-9P 331740-32-0P 331740-33-1P
331740-34-2P 331740-35-3P 331740-36-4P
331740-37-5P 331740-38-6P 331740-39-7P
331740-40-0P 331740-41-1P 331740-42-2P
331740-43-3P 331740-44-4P 331740-45-5P
331740-46-6P 331740-47-7P 331740-48-8P
331740-49-9P 331740-50-2P 331740-51-3P
331740-52-4P 331740-53-5P 331740-54-6P
331740-55-7P 331740-56-8P 331740-57-9P
331740-58-0P 331740-59-1P 331740-60-4P
331740-61-5P 331740-62-6P 331740-63-7P
331740-64-8P 331740-65-9P 331740-66-0P
331740-67-1P 331740-68-2P 331740-69-3P
331740-70-6P 331740-71-7P 331740-72-8P
331740-73-9P 331740-74-0P 331740-75-1P
331740-76-2P 331740-77-3P 331740-78-4P
331740-79-5P 331740-80-8P 331740-81-9P
331740-82-0P 331740-83-1P 331740-84-2P
331740-85-3P 331740-86-4P 331740-87-5P
331740-88-6P 331740-89-7P 331740-90-0P
331740-91-1P 331740-92-2P 331740-93-3P
331740-94-4P 331740-95-5P 331740-96-6P
331740-97-7P 331740-98-8P 331740-99-9P
331741-00-5P 331741-01-6P 331741-02-7P
331741-03-8P 331741-04-9P 331741-05-0P
331741-06-1P 331741-07-2P 331741-08-3P
331741-09-4P 331741-10-7P 331741-11-8P
331741-12-9P 331741-13-0P 331741-14-1P
331741-15-2P 331741-16-3P 331741-17-4P
331741-18-5P 331741-19-6P 331741-20-9P
331741-21-0P 331741-22-1P 331741-23-2P
331741-24-3P 331741-25-4P 331741-26-5P
331741-27-6P 331741-28-7P 331741-29-8P
331741-30-1P 331741-31-2P 331741-32-3P
331741-33-4P 331741-34-5P 331741-35-6P
331741-36-7P 331741-37-8P 331741-38-9P
331741-39-0P 331741-40-3P 331741-41-4P
331741-42-5P 331741-43-6P 331741-44-7P
331741-45-8P 331741-46-9P 331741-47-0P
331741-48-1P 331741-49-2P 331741-50-5P
331741-51-6P 331741-52-7P 331741-53-8P
331741-54-9P 331741-55-0P 331741-56-1P
331741-57-2P 331741-58-3P 331741-59-4P
331741-60-7P 331741-61-8P 331741-63-0P
331741-64-1P 331741-65-2P 331741-66-3P
331741-67-4P 331741-68-5P 331741-69-6P
331741-70-9P 331741-71-0P 331741-72-1P
331741-73-2P 331741-74-3P 331741-75-4P
331741-76-5P 331741-77-6P 331741-78-7P
331741-79-8P 331741-80-1P 331741-81-2P
331741-82-3P 331741-83-4P 331741-84-5P
331741-85-6P 331741-86-7P 331741-87-8P
331741-88-9P 331741-89-0P 331741-90-3P
331741-91-4P 331741-92-5P 331741-93-6P
331741-94-7P 331741-95-8P 331741-96-9P
331741-97-0P 331741-98-1P 331741-99-2P
331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P

331742-06-4P 331742-07-5P 331742-08-6P
331742-09-7P 331742-10-0P 331742-11-1P
331742-12-2P 331742-13-3P 331742-14-4P
331742-15-5P 331742-16-6P 331742-17-7P
331742-18-8P 331742-19-9P 331742-20-2P
331742-21-3P 331742-22-4P 331742-23-5P
331742-24-6P 331742-25-7P 331742-26-8P
331742-27-9P 331742-28-0P 331742-29-1P
331742-30-4P 331742-31-5P 331742-32-6P
331742-33-7P 331742-34-8P 331742-35-9P
331742-36-0P 331742-37-1P 331742-38-2P
331742-39-3P 331742-40-6P 331742-41-7P
331742-42-8P 331742-43-9P 331742-44-0P
331742-45-1P 331742-46-2P 331742-47-3P
331742-48-4P 331742-49-5P 331742-50-8P
331742-51-9P 331742-52-0P 331742-53-1P
331742-54-2P 331742-55-3P 331742-56-4P
331742-57-5P 331742-58-6P 331742-59-7P
331742-60-0P 331742-61-1P 331742-62-2P
331742-63-3P 331742-64-4P 331742-65-5P
331742-66-6P 331742-67-7P 331742-68-8P
331742-69-9P 331742-70-2P 331742-71-3P
331742-72-4P 331742-73-5P 331742-74-6P
331742-75-7P 331742-76-8P 331742-77-9P
331742-78-0P 331742-79-1P 331742-80-4P
331742-81-5P 331742-82-6P 331742-83-7P
331742-84-8P 331742-85-9P 331742-86-0P
331742-87-1P 331742-88-2P 331742-89-3P
331742-90-6P 331742-91-7P 331742-92-8P
331742-93-9P 331742-94-0P 331742-95-1P
331742-96-2P 331742-97-3P 331742-98-4P
331742-99-5P 331743-00-1P 331743-02-3P
331743-04-5P 331743-05-6P 331743-06-7P
331743-07-8P 331743-08-9P 331743-09-0P
331743-10-3P 331743-11-4P 331743-12-5P
331743-13-6P 331743-14-7P 331743-15-8P
331743-16-9P 331743-17-0P 331743-18-1P
331743-19-2P 331743-20-5P 331743-21-6P
331743-22-7P 331743-23-8P 331743-24-9P
331743-25-0P 331743-26-1P 331743-27-2P
331743-28-3P 331743-29-4P 331743-30-7P
331743-31-8P 331743-32-9P 331743-33-0P
331743-34-1P 331743-35-2P 331743-36-3P
331743-37-4P 331743-38-5P 331743-39-6P
331743-40-9P 331743-41-0P 331743-42-1P
331743-43-2P 331743-44-3P 331743-45-4P
331743-46-5P 331743-47-6P 331743-48-7P
331743-49-8P 331743-50-1P 331743-51-2P
331743-52-3P 331743-53-4P 331743-54-5P
331743-55-6P 331743-56-7P 331743-57-8P
331743-58-9P 331743-59-0P 331743-60-3P
331743-61-4P 331743-62-5P 331743-63-6P
331743-64-7P 331743-65-8P 331743-66-9P
331743-67-0P 331743-68-1P 331743-69-2P
331743-70-5P 331743-71-6P 331743-72-7P
331743-73-8P 331743-74-9P 331743-75-0P
331743-76-1P 331743-77-2P 331743-78-3P
331743-79-4P 331743-80-7P 331743-81-8P
331743-82-9P 331743-83-0P 331743-84-1P
331743-85-2P 331743-86-3P 331743-87-4P

331743-88-5P 331743-89-6P 331743-90-9P
331743-91-0P 331743-92-1P 331743-93-2P
331743-94-3P 331743-95-4P 331743-96-5P
331743-97-6P 331743-98-7P 331743-99-8P
331744-00-4P 331744-01-5P 331744-02-6P
331744-03-7P 331744-04-8P 331744-05-9P
331744-06-0P 331744-07-1P 331744-08-2P
331744-09-3P 331744-10-6P 331744-11-7P
331744-12-8P 331744-13-9P 331744-14-0P
331744-15-1P 331744-16-2P 331744-17-3P
331744-18-4P 331744-19-5P 331744-20-8P
331744-21-9P 331744-22-0P 331744-25-3P
331744-26-4P 331744-27-5P 331744-28-6P
331744-30-0P 331744-31-1P 331744-32-2P
331744-33-3P 331744-34-4P 331744-35-5P
331744-36-6P 331744-37-7P 331744-38-8P
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P
331744-45-7P 331744-46-8P 331744-47-9P
331744-48-0P 331744-49-1P 331744-50-4P
331744-51-5P 331744-52-6P 331744-53-7P
331744-54-8P 331744-55-9P 331744-56-0P
331744-57-1P 331744-58-2P 331744-59-3P
331744-60-6P 331744-61-7P 331744-62-8P
331744-63-9P 331744-64-0P 331744-65-1P
331744-66-2P 331744-67-3P 331744-68-4P
331744-69-5P 331744-70-8P 331744-72-0P
331744-73-1P 331744-74-2P 331744-75-3P
331744-76-4P 331744-77-5P 331744-78-6P
331744-79-7P 331744-80-0P 331744-81-1P
331744-82-2P 331744-83-3P 331744-84-4P
331744-87-7P 331744-88-8P 331744-89-9P
331744-90-2P 331744-91-3P 331744-94-6P
331744-95-7P 331744-96-8P 331744-97-9P
331744-98-0P 331744-99-1P 331745-00-7P
331745-01-8P 331745-02-9P 331745-03-0P
331745-04-1P 331745-05-2P 331745-06-3P
331745-07-4P 331745-08-5P 331745-09-6P
331745-10-9P 331745-11-0P 331745-12-1P
331745-13-2P 331745-14-3P 331745-15-4P
331745-16-5P 331745-17-6P 331745-18-7P
331745-19-8P 331745-20-1P 331745-21-2P
331745-22-3P 331745-23-4P 331745-24-5P
331745-25-6P 331745-26-7P 331745-33-6P
331745-34-7P 331745-35-8P 331745-41-6P
331745-42-7P 331745-43-8P 331745-44-9P
331745-45-0P 331745-46-1P 331745-47-2P
331745-49-4P 331745-60-9P 331745-69-8P
331746-91-9P 331746-92-0P 331746-93-1P
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7
331746-66-8 331746-68-0 331746-69-1
331746-70-4 331746-71-5 331746-74-8
331746-75-9 331746-76-0 331746-83-9
331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related

comps. as antidiabetic and antiobesity agents)


IT 331745-61-0P 331745-62-1P 331745-63-2P
331745-64-3P 331745-65-4P 331745-66-5P
331745-67-6P 331745-68-7P 331745-71-2P
331745-72-3P 331745-73-4P 331745-75-6P
331745-76-7P 331745-77-8P 331745-88-1P
331745-89-2P 331745-93-8P 331745-95-0P
331746-04-4P 331746-06-6P 331746-07-7P
331746-10-2P 331746-12-4P 331746-13-5P
331746-14-6P 331746-16-8P 331746-21-5P
331746-22-6P 331746-26-0P 331746-30-6P
331746-32-8P 331746-37-3P 331746-38-4P
331746-43-1P 331746-44-2P 331746-45-3P
331746-47-5P 331746-48-6P 331746-52-2P
331746-53-3P 331746-54-4P 331746-62-4P
331746-67-9P 331746-79-3P 331746-94-2P
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
comps. as antidiabetic and antiobesity agents)

L52 ANSWER 2 OF 7 USPATFULL on STN
AN 2003:134608 USPATFULL
TI Conformationally constrained analogs useful as antidiabetic and
antiobesity agents and method
IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES
Jeon, Yoon, Belle Mead, NJ, UNITED STATES
Wang, Wei, Princeton, NJ, UNITED STATES
PI US 2003092697 A1 20030515
AI US 2002-153342 A1 20020522 (10)
PRAI US 2001-294505P 20010530 (60)
DT Utility
FS APPLICATION
LREP Stephen B. Davis, Bristol-Myers Squibb Company, Patent Department, P.O.
Box 4000, Princeton, NJ, 08543-4000
CLMN Number of Claims: 34
ECL Exemplary Claim: 1
DRWN No Drawings
LN.CNT 2127
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, X.sub.1 is C or N, and R.sup.1, R.sup.2, R.sup.2a,
R.sup.2b, R.sup.2c, R.sup.3, Y, A, m, n, X.sub.2, X.sub.3 and X.sub.4
are as defined herein, which compounds are useful as antidiabetic,
hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.
IT 477719-54-3P
(preparation of oxazolethoxyphenylprolines and related comps. as
antidiabetic and antiobesity agents)
RN 477719-54-3 USPATFULL
CN 4-Pentenoic acid, 2-[[[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl]-3-butenyl]amino]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 477719-54-3P 477719-55-4P

(preparation of oxazolylethoxyphenylprolines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 3 OF 7 USPATFULL on STN

AN 2003:127720 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES

Devasthale, Pratik, Plainsboro, NJ, UNITED STATES

Jeon, Yoon, Belle Mead, NJ, UNITED STATES

Chen, Sean, Princeton, NJ, UNITED STATES

Zhang, Hao, Belle Mead, NJ, UNITED STATES

PI US 2003087935 A1 20030508

US 6727271 B2 20040427

AI US 2002-81075 A1 20020222 (10)

RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING
Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, PENDING

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS APPLICATION

LREP Stephen B. Davis, Bristol-Myers Squibb Company, Patent Department, P.O. Box 4000, Princeton, NJ, 08543-4000

CLMN Number of Claims: 54

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 5712

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



- IT 331739-69-6P
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)
- IT 331739-67-4P 331739-68-5P 331739-70-9P
 331739-71-0P 331739-72-1P 331739-73-2P
 331739-74-3P 331739-75-4P 331739-76-5P
 331739-77-6P 331739-78-7P 331739-79-8P
 331739-80-1P 331739-81-2P 331739-82-3P
 331739-83-4P 331739-84-5P 331739-85-6P
 331739-86-7P 331739-87-8P 331739-88-9P
 331739-89-0P 331739-90-3P 331739-91-4P
 331739-92-5P 331739-93-6P 331739-94-7P
 331739-95-8P 331739-96-9P 331739-97-0P
 331739-98-1P 331739-99-2P 331740-00-2P
 331740-01-3P 331740-02-4P 331740-03-5P
 331740-04-6P 331740-05-7P 331740-06-8P
 331740-07-9P 331740-08-0P 331740-09-1P
 331740-10-4P 331740-11-5P 331740-12-6P
 331740-13-7P 331740-14-8P 331740-15-9P
 331740-16-0P 331740-17-1P 331740-18-2P
 331740-19-3P 331740-20-6P 331740-21-7P
 331740-22-8P 331740-23-9P 331740-24-0P
 331740-25-1P 331740-26-2P 331740-27-3P
 331740-28-4P 331740-29-5P 331740-30-8P
 331740-31-9P 331740-32-0P 331740-33-1P
 331740-34-2P 331740-35-3P 331740-36-4P
 331740-37-5P 331740-38-6P 331740-39-7P
 331740-40-0P 331740-41-1P 331740-42-2P
 331740-43-3P 331740-44-4P 331740-45-5P
 331740-46-6P 331740-47-7P 331740-48-8P
 331740-49-9P 331740-50-2P 331740-51-3P
 331740-52-4P 331740-53-5P 331740-54-6P
 331740-55-7P 331740-56-8P 331740-57-9P
 331740-58-0P 331740-59-1P 331740-60-4P
 331740-61-5P 331740-62-6P 331740-63-7P
 331740-64-8P 331740-65-9P 331740-66-0P
 331740-67-1P 331740-68-2P 331740-69-3P
 331740-70-6P 331740-71-7P 331740-72-8P
 331740-73-9P 331740-74-0P 331740-75-1P
 331740-76-2P 331740-77-3P 331740-78-4P
 331740-79-5P 331740-80-8P 331740-81-9P
 331740-82-0P 331740-83-1P 331740-84-2P
 331740-85-3P 331740-86-4P 331740-87-5P
 331740-88-6P 331740-89-7P 331740-90-0P
 331740-91-1P 331740-92-2P 331740-93-3P
 331740-94-4P 331740-95-5P 331740-96-6P
 331740-97-7P 331740-98-8P 331740-99-9P
 331741-00-5P 331741-01-6P 331741-02-7P
 331741-03-8P 331741-04-9P 331741-05-0P
 331741-06-1P 331741-07-2P 331741-08-3P
 331741-09-4P 331741-10-7P 331741-11-8P

331741-12-9P 331741-13-0P 331741-14-1P
331741-15-2P 331741-16-3P 331741-17-4P
331741-18-5P 331741-19-6P 331741-20-9P
331741-21-0P 331741-22-1P 331741-23-2P
331741-24-3P 331741-25-4P 331741-26-5P
331741-27-6P 331741-28-7P 331741-29-8P
331741-30-1P 331741-31-2P 331741-32-3P
331741-33-4P 331741-34-5P 331741-35-6P
331741-36-7P 331741-37-8P 331741-38-9P
331741-39-0P 331741-40-3P 331741-41-4P
331741-42-5P 331741-43-6P 331741-44-7P
331741-45-8P 331741-46-9P 331741-47-0P
331741-48-1P 331741-49-2P 331741-50-5P
331741-51-6P 331741-52-7P 331741-53-8P
331741-54-9P 331741-55-0P 331741-56-1P
331741-57-2P 331741-58-3P 331741-59-4P
331741-60-7P 331741-61-8P 331741-63-0P
331741-64-1P 331741-65-2P 331741-66-3P
331741-67-4P 331741-68-5P 331741-69-6P
331741-70-9P 331741-71-0P 331741-72-1P
331741-73-2P 331741-74-3P 331741-75-4P
331741-76-5P 331741-77-6P 331741-78-7P
331741-79-8P 331741-80-1P 331741-81-2P
331741-82-3P 331741-83-4P 331741-84-5P
331741-85-6P 331741-86-7P 331741-87-8P
331741-88-9P 331741-89-0P 331741-90-3P
331741-91-4P 331741-92-5P 331741-93-6P
331741-94-7P 331741-95-8P 331741-96-9P
331741-97-0P 331741-98-1P 331741-99-2P
331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
comps. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P
331742-06-4P 331742-07-5P 331742-08-6P
331742-09-7P 331742-10-0P 331742-11-1P
331742-12-2P 331742-13-3P 331742-14-4P
331742-15-5P 331742-16-6P 331742-17-7P
331742-18-8P 331742-19-9P 331742-20-2P
331742-21-3P 331742-22-4P 331742-23-5P
331742-24-6P 331742-25-7P 331742-26-8P
331742-27-9P 331742-28-0P 331742-29-1P
331742-30-4P 331742-31-5P 331742-32-6P
331742-33-7P 331742-34-8P 331742-35-9P
331742-36-0P 331742-37-1P 331742-38-2P
331742-39-3P 331742-40-6P 331742-41-7P
331742-42-8P 331742-43-9P 331742-44-0P
331742-45-1P 331742-46-2P 331742-47-3P
331742-48-4P 331742-49-5P 331742-50-8P
331742-51-9P 331742-52-0P 331742-53-1P
331742-54-2P 331742-55-3P 331742-56-4P
331742-57-5P 331742-58-6P 331742-59-7P
331742-60-0P 331742-61-1P 331742-62-2P
331742-63-3P 331742-64-4P 331742-65-5P
331742-66-6P 331742-67-7P 331742-68-8P
331742-69-9P 331742-70-2P 331742-71-3P
331742-72-4P 331742-73-5P 331742-74-6P
331742-75-7P 331742-76-8P 331742-77-9P
331742-78-0P 331742-79-1P 331742-80-4P
331742-81-5P 331742-82-6P 331742-83-7P
331742-84-8P 331742-85-9P 331742-86-0P

331742-87-1P 331742-88-2P 331742-89-3P
331742-90-6P 331742-91-7P 331742-92-8P
331742-93-9P 331742-94-0P 331742-95-1P
331742-96-2P 331742-97-3P 331742-98-4P
331742-99-5P 331743-00-1P 331743-02-3P
331743-04-5P 331743-05-6P 331743-06-7P
331743-07-8P 331743-08-9P 331743-09-0P
331743-10-3P 331743-11-4P 331743-12-5P
331743-13-6P 331743-14-7P 331743-15-8P
331743-16-9P 331743-17-0P 331743-18-1P
331743-19-2P 331743-20-5P 331743-21-6P
331743-22-7P 331743-23-8P 331743-24-9P
331743-25-0P 331743-26-1P 331743-27-2P
331743-28-3P 331743-29-4P 331743-30-7P
331743-31-8P 331743-32-9P 331743-33-0P
331743-34-1P 331743-35-2P 331743-36-3P
331743-37-4P 331743-38-5P 331743-39-6P
331743-40-9P 331743-41-0P 331743-42-1P
331743-43-2P 331743-44-3P 331743-45-4P
331743-46-5P 331743-47-6P 331743-48-7P
331743-49-8P 331743-50-1P 331743-51-2P
331743-52-3P 331743-53-4P 331743-54-5P
331743-55-6P 331743-56-7P 331743-57-8P
331743-58-9P 331743-59-0P 331743-60-3P
331743-61-4P 331743-62-5P 331743-63-6P
331743-64-7P 331743-65-8P 331743-66-9P
331743-67-0P 331743-68-1P 331743-69-2P
331743-70-5P 331743-71-6P 331743-72-7P
331743-73-8P 331743-74-9P 331743-75-0P
331743-76-1P 331743-77-2P 331743-78-3P
331743-79-4P 331743-80-7P 331743-81-8P
331743-82-9P 331743-83-0P 331743-84-1P
331743-85-2P 331743-86-3P 331743-87-4P
331743-88-5P 331743-89-6P 331743-90-9P
331743-91-0P 331743-92-1P 331743-93-2P
331743-94-3P 331743-95-4P 331743-96-5P
331743-97-6P 331743-98-7P 331743-99-8P
331744-00-4P 331744-01-5P 331744-02-6P
331744-03-7P 331744-04-8P 331744-05-9P
331744-06-0P 331744-07-1P 331744-08-2P
331744-09-3P 331744-10-6P 331744-11-7P
331744-12-8P 331744-13-9P 331744-14-0P
331744-15-1P 331744-16-2P 331744-17-3P
331744-18-4P 331744-19-5P 331744-20-8P
331744-21-9P 331744-22-0P 331744-25-3P
331744-26-4P 331744-27-5P 331744-28-6P
331744-30-0P 331744-31-1P 331744-32-2P
331744-33-3P 331744-34-4P 331744-35-5P
331744-36-6P 331744-37-7P 331744-38-8P
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P
331744-45-7P 331744-46-8P 331744-47-9P
331744-48-0P 331744-49-1P 331744-50-4P
331744-51-5P 331744-52-6P 331744-53-7P
331744-54-8P 331744-55-9P 331744-56-0P
331744-57-1P 331744-58-2P 331744-59-3P
331744-60-6P 331744-61-7P 331744-62-8P
331744-63-9P 331744-64-0P 331744-65-1P

331744-66-2P 331744-67-3P 331744-68-4P
331744-69-5P 331744-70-8P 331744-72-0P
331744-73-1P 331744-74-2P 331744-75-3P
331744-76-4P 331744-77-5P 331744-78-6P
331744-79-7P 331744-80-0P 331744-81-1P
331744-82-2P 331744-83-3P 331744-84-4P
331744-87-7P 331744-88-8P 331744-89-9P
331744-90-2P 331744-91-3P 331744-94-6P
331744-95-7P 331744-96-8P 331744-97-9P
331744-98-0P 331744-99-1P 331745-00-7P
331745-01-8P 331745-02-9P 331745-03-0P
331745-04-1P 331745-05-2P 331745-06-3P
331745-07-4P 331745-08-5P 331745-09-6P
331745-10-9P 331745-11-0P 331745-12-1P
331745-13-2P 331745-14-3P 331745-15-4P
331745-16-5P 331745-17-6P 331745-18-7P
331745-19-8P 331745-20-1P 331745-21-2P
331745-22-3P 331745-23-4P 331745-24-5P
331745-25-6P 331745-26-7P 331745-33-6P
331745-34-7P 331745-35-8P 331745-41-6P
331745-42-7P 331745-43-8P 331745-44-9P
331745-45-0P 331745-46-1P 331745-47-2P
331745-49-4P 331745-60-9P 331745-69-8P
331746-91-9P 331746-92-0P 331746-93-1P
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7
331746-66-8 331746-68-0 331746-69-1
331746-70-4 331746-71-5 331746-74-8
331746-75-9 331746-76-0 331746-83-9
331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P
331745-64-3P 331745-65-4P 331745-66-5P
331745-67-6P 331745-68-7P 331745-71-2P
331745-72-3P 331745-73-4P 331745-75-6P
331745-76-7P 331745-77-8P 331745-88-1P
331745-89-2P 331745-93-8P 331745-95-0P
331746-04-4P 331746-06-6P 331746-07-7P
331746-10-2P 331746-12-4P 331746-13-5P
331746-14-6P 331746-16-8P 331746-21-5P
331746-22-6P 331746-26-0P 331746-30-6P
331746-32-8P 331746-37-3P 331746-38-4P
331746-43-1P 331746-44-2P 331746-45-3P
331746-47-5P 331746-48-6P 331746-52-2P
331746-53-3P 331746-54-4P 331746-62-4P
331746-67-9P 331746-79-3P 331746-94-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

L52 ANSWER 4 OF 7 USPATFULL on STN

AN 2003:100164 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity
agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES
Devasthale, Pratik, Plainsboro, NJ, UNITED STATES
Jeon, Yoon, Belle Mead, NJ, UNITED STATES
Chen, Sean, Princeton, NJ, UNITED STATES

Zhang, Hao, Belle Mead, NJ, UNITED STATES

PI US 2003069275 A1 20030410
 AI US 2002-80965 A1 20020222 (10)
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING
 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000,
 PENDING
 PRAI US 1999-155400P 19990922 (60)
 DT Utility
 FS APPLICATION
 LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O
 BOX 4000, PRINCETON, NJ, 08543-4000
 CLMN Number of Claims: 54
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 5710
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and
 R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n
 are as defined herein, which compounds are useful as antidiabetic,
 hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
 (9CI) (CA INDEX NAME)



IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P

331739-71-0P 331739-72-1P 331739-73-2P

331739-74-3P 331739-75-4P 331739-76-5P

331739-77-6P 331739-78-7P 331739-79-8P

331739-80-1P 331739-81-2P 331739-82-3P

331739-83-4P 331739-84-5P 331739-85-6P

331739-86-7P 331739-87-8P 331739-88-9P

331739-89-0P 331739-90-3P 331739-91-4P

331739-92-5P 331739-93-6P 331739-94-7P

331739-95-8P 331739-96-9P 331739-97-0P

331739-98-1P 331739-99-2P 331740-00-2P

331740-01-3P 331740-02-4P 331740-03-5P

331740-04-6P 331740-05-7P 331740-06-8P

331740-07-9P 331740-08-0P 331740-09-1P

331740-10-4P 331740-11-5P 331740-12-6P

331740-13-7P 331740-14-8P 331740-15-9P

331740-16-0P 331740-17-1P 331740-18-2P

331740-19-3P 331740-20-6P 331740-21-7P
331740-22-8P 331740-23-9P 331740-24-0P
331740-25-1P 331740-26-2P 331740-27-3P
331740-28-4P 331740-29-5P 331740-30-8P
331740-31-9P 331740-32-0P 331740-33-1P
331740-34-2P 331740-35-3P 331740-36-4P
331740-37-5P 331740-38-6P 331740-39-7P
331740-40-0P 331740-41-1P 331740-42-2P
331740-43-3P 331740-44-4P 331740-45-5P
331740-46-6P 331740-47-7P 331740-48-8P
331740-49-9P 331740-50-2P 331740-51-3P
331740-52-4P 331740-53-5P 331740-54-6P
331740-55-7P 331740-56-8P 331740-57-9P
331740-58-0P 331740-59-1P 331740-60-4P
331740-61-5P 331740-62-6P 331740-63-7P
331740-64-8P 331740-65-9P 331740-66-0P
331740-67-1P 331740-68-2P 331740-69-3P
331740-70-6P 331740-71-7P 331740-72-8P
331740-73-9P 331740-74-0P 331740-75-1P
331740-76-2P 331740-77-3P 331740-78-4P
331740-79-5P 331740-80-8P 331740-81-9P
331740-82-0P 331740-83-1P 331740-84-2P
331740-85-3P 331740-86-4P 331740-87-5P
331740-88-6P 331740-89-7P 331740-90-0P
331740-91-1P 331740-92-2P 331740-93-3P
331740-94-4P 331740-95-5P 331740-96-6P
331740-97-7P 331740-98-8P 331740-99-9P
331741-00-5P 331741-01-6P 331741-02-7P
331741-03-8P 331741-04-9P 331741-05-0P
331741-06-1P 331741-07-2P 331741-08-3P
331741-09-4P 331741-10-7P 331741-11-8P
331741-12-9P 331741-13-0P 331741-14-1P
331741-15-2P 331741-16-3P 331741-17-4P
331741-18-5P 331741-19-6P 331741-20-9P
331741-21-0P 331741-22-1P 331741-23-2P
331741-24-3P 331741-25-4P 331741-26-5P
331741-27-6P 331741-28-7P 331741-29-8P
331741-30-1P 331741-31-2P 331741-32-3P
331741-33-4P 331741-34-5P 331741-35-6P
331741-36-7P 331741-37-8P 331741-38-9P
331741-39-0P 331741-40-3P 331741-41-4P
331741-42-5P 331741-43-6P 331741-44-7P
331741-45-8P 331741-46-9P 331741-47-0P
331741-48-1P 331741-49-2P 331741-50-5P
331741-51-6P 331741-52-7P 331741-53-8P
331741-54-9P 331741-55-0P 331741-56-1P
331741-57-2P 331741-58-3P 331741-59-4P
331741-60-7P 331741-61-8P 331741-63-0P
331741-64-1P 331741-65-2P 331741-66-3P
331741-67-4P 331741-68-5P 331741-69-6P
331741-70-9P 331741-71-0P 331741-72-1P
331741-73-2P 331741-74-3P 331741-75-4P
331741-76-5P 331741-77-6P 331741-78-7P
331741-79-8P 331741-80-1P 331741-81-2P
331741-82-3P 331741-83-4P 331741-84-5P
331741-85-6P 331741-86-7P 331741-87-8P
331741-88-9P 331741-89-0P 331741-90-3P
331741-91-4P 331741-92-5P 331741-93-6P
331741-94-7P 331741-95-8P 331741-96-9P
331741-97-0P 331741-98-1P 331741-99-2P

331742-00-8P 331742-01-9P 331742-02-0P
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compsd. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P
331742-06-4P 331742-07-5P 331742-08-6P
331742-09-7P 331742-10-0P 331742-11-1P
331742-12-2P 331742-13-3P 331742-14-4P
331742-15-5P 331742-16-6P 331742-17-7P
331742-18-8P 331742-19-9P 331742-20-2P
331742-21-3P 331742-22-4P 331742-23-5P
331742-24-6P 331742-25-7P 331742-26-8P
331742-27-9P 331742-28-0P 331742-29-1P
331742-30-4P 331742-31-5P 331742-32-6P
331742-33-7P 331742-34-8P 331742-35-9P
331742-36-0P 331742-37-1P 331742-38-2P
331742-39-3P 331742-40-6P 331742-41-7P
331742-42-8P 331742-43-9P 331742-44-0P
331742-45-1P 331742-46-2P 331742-47-3P
331742-48-4P 331742-49-5P 331742-50-8P
331742-51-9P 331742-52-0P 331742-53-1P
331742-54-2P 331742-55-3P 331742-56-4P
331742-57-5P 331742-58-6P 331742-59-7P
331742-60-0P 331742-61-1P 331742-62-2P
331742-63-3P 331742-64-4P 331742-65-5P
331742-66-6P 331742-67-7P 331742-68-8P
331742-69-9P 331742-70-2P 331742-71-3P
331742-72-4P 331742-73-5P 331742-74-6P
331742-75-7P 331742-76-8P 331742-77-9P
331742-78-0P 331742-79-1P 331742-80-4P
331742-81-5P 331742-82-6P 331742-83-7P
331742-84-8P 331742-85-9P 331742-86-0P
331742-87-1P 331742-88-2P 331742-89-3P
331742-90-6P 331742-91-7P 331742-92-8P
331742-93-9P 331742-94-0P 331742-95-1P
331742-96-2P 331742-97-3P 331742-98-4P
331742-99-5P 331743-00-1P 331743-02-3P
331743-04-5P 331743-05-6P 331743-06-7P
331743-07-8P 331743-08-9P 331743-09-0P
331743-10-3P 331743-11-4P 331743-12-5P
331743-13-6P 331743-14-7P 331743-15-8P
331743-16-9P 331743-17-0P 331743-18-1P
331743-19-2P 331743-20-5P 331743-21-6P
331743-22-7P 331743-23-8P 331743-24-9P
331743-25-0P 331743-26-1P 331743-27-2P
331743-28-3P 331743-29-4P 331743-30-7P
331743-31-8P 331743-32-9P 331743-33-0P
331743-34-1P 331743-35-2P 331743-36-3P
331743-37-4P 331743-38-5P 331743-39-6P
331743-40-9P 331743-41-0P 331743-42-1P
331743-43-2P 331743-44-3P 331743-45-4P
331743-46-5P 331743-47-6P 331743-48-7P
331743-49-8P 331743-50-1P 331743-51-2P
331743-52-3P 331743-53-4P 331743-54-5P
331743-55-6P 331743-56-7P 331743-57-8P
331743-58-9P 331743-59-0P 331743-60-3P
331743-61-4P 331743-62-5P 331743-63-6P
331743-64-7P 331743-65-8P 331743-66-9P
331743-67-0P 331743-68-1P 331743-69-2P
331743-70-5P 331743-71-6P 331743-72-7P
331743-73-8P 331743-74-9P 331743-75-0P

331743-76-1P 331743-77-2P 331743-78-3P
331743-79-4P 331743-80-7P 331743-81-8P
331743-82-9P 331743-83-0P 331743-84-1P
331743-85-2P 331743-86-3P 331743-87-4P
331743-88-5P 331743-89-6P 331743-90-9P
331743-91-0P 331743-92-1P 331743-93-2P
331743-94-3P 331743-95-4P 331743-96-5P
331743-97-6P 331743-98-7P 331743-99-8P
331744-00-4P 331744-01-5P 331744-02-6P
331744-03-7P 331744-04-8P 331744-05-9P
331744-06-0P 331744-07-1P 331744-08-2P
331744-09-3P 331744-10-6P 331744-11-7P
331744-12-8P 331744-13-9P 331744-14-0P
331744-15-1P 331744-16-2P 331744-17-3P
331744-18-4P 331744-19-5P 331744-20-8P
331744-21-9P 331744-22-0P 331744-25-3P
331744-26-4P 331744-27-5P 331744-28-6P
331744-30-0P 331744-31-1P 331744-32-2P
331744-33-3P 331744-34-4P 331744-35-5P
331744-36-6P 331744-37-7P 331744-38-8P
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
comps. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P
331744-45-7P 331744-46-8P 331744-47-9P
331744-48-0P 331744-49-1P 331744-50-4P
331744-51-5P 331744-52-6P 331744-53-7P
331744-54-8P 331744-55-9P 331744-56-0P
331744-57-1P 331744-58-2P 331744-59-3P
331744-60-6P 331744-61-7P 331744-62-8P
331744-63-9P 331744-64-0P 331744-65-1P
331744-66-2P 331744-67-3P 331744-68-4P
331744-69-5P 331744-70-8P 331744-72-0P
331744-73-1P 331744-74-2P 331744-75-3P
331744-76-4P 331744-77-5P 331744-78-6P
331744-79-7P 331744-80-0P 331744-81-1P
331744-82-2P 331744-83-3P 331744-84-4P
331744-87-7P 331744-88-8P 331744-89-9P
331744-90-2P 331744-91-3P 331744-94-6P
331744-95-7P 331744-96-8P 331744-97-9P
331744-98-0P 331744-99-1P 331745-00-7P
331745-01-8P 331745-02-9P 331745-03-0P
331745-04-1P 331745-05-2P 331745-06-3P
331745-07-4P 331745-08-5P 331745-09-6P
331745-10-9P 331745-11-0P 331745-12-1P
331745-13-2P 331745-14-3P 331745-15-4P
331745-16-5P 331745-17-6P 331745-18-7P
331745-19-8P 331745-20-1P 331745-21-2P
331745-22-3P 331745-23-4P 331745-24-5P
331745-25-6P 331745-26-7P 331745-33-6P
331745-34-7P 331745-35-8P 331745-41-6P
331745-42-7P 331745-43-8P 331745-44-9P
331745-45-0P 331745-46-1P 331745-47-2P
331745-49-4P 331745-60-9P 331745-69-8P
331746-91-9P 331746-92-0P 331746-93-1P
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
comps. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7
331746-66-8 331746-68-0 331746-69-1

331746-70-4 331746-71-5 331746-74-8
331746-75-9 331746-76-0 331746-83-9
331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P
331745-64-3P 331745-65-4P 331745-66-5P
331745-67-6P 331745-68-7P 331745-71-2P
331745-72-3P 331745-73-4P 331745-75-6P
331745-76-7P 331745-77-8P 331745-88-1P
331745-89-2P 331745-93-8P 331745-95-0P
331746-04-4P 331746-06-6P 331746-07-7P
331746-10-2P 331746-12-4P 331746-13-5P
331746-14-6P 331746-16-8P 331746-21-5P
331746-22-6P 331746-26-0P 331746-30-6P
331746-32-8P 331746-37-3P 331746-38-4P
331746-43-1P 331746-44-2P 331746-45-3P
331746-47-5P 331746-48-6P 331746-52-2P
331746-53-3P 331746-54-4P 331746-62-4P
331746-67-9P 331746-79-3P 331746-94-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

L52 ANSWER 5 OF 7 USPATFULL on STN

AN 2002:160755 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity
agents and method

IN **Cheng, Peter T.**, Princeton, NJ, United States
Devasthale, Pratik, Plainsboro, NJ, United States
Jeon, Yoon, Belle Mead, NJ, United States
Chen, Sean, Princeton, NJ, United States
Zhang, Hao, Belle Mead, NJ, United States

PA **Bristol-Myers Squibb** Company, Princeton,
NJ, United States (U.S. corporation)

PI US 6414002 B1 20020702

AI US 2001-812960 20010320 (9)

RLI Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS GRANTED

EXNAM Primary Examiner: Higel, Floyd D.; Assistant Examiner: Sackey, Ebenezer

LREP Burton Rodney

CLMN Number of Claims: 30

ECL Exemplary Claim: 1

DRWN 0 Drawing Figure(s); 0 Drawing Page(s)

LN.CNT 5133

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and
R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n
are as defined herein, which compounds are useful as antidiabetic,
hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl]methyl]-

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331739-67-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-68-5P**, Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-70-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-2-propynyl- **331739-71-0P**, Glycine, N-2-benzoxazolyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-72-1P**, Glycine, N-2-benzoxazolyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-73-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331739-74-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331739-75-4P**, Glycine, N-[[3-(4-chlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-76-5P**, Glycine, N-[[5-(4-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-77-6P**, Glycine, N-[[4-(3-fluorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-78-7P**, Glycine, N-[[4-(3-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-79-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-pyridinyl)phenyl]methyl]- **331739-80-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-phenylethyl)- **331739-82-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenylpropyl)- **331739-83-4P**, Glycine, N-[[3-(3,4-dichlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-84-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenyl)methyl]- **331739-85-6P**, Glycine, N-([1,1'-biphenyl]-4-ylmethyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-86-7P**, Glycine, N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-87-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-[3-(trifluoromethyl)phenoxy]phenyl]methyl]- **331739-88-9P**, Glycine, N-[[3-(4-methylphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-89-0P**, Glycine, N-[[3-(4-methoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-90-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl]methyl]- **331739-91-4P**, Glycine,

N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-92-5P**,
 Glycine, N-[(2E)-3,7-dimethyl-2,6-octadienyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-93-6P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenyl]methyl]- **331739-94-7P**, Glycine,
 N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-95-8P**,
 Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxy-2-thienyl]methyl]- **331739-96-9P**, Glycine,
 N-[(2Z)-3-(2-furanyl)-2-propenyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-97-0P**, Glycine,
 N-[(4-fluorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-98-1P**, Glycine,
 N-[[2-[(4-chlorophenyl)thio]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-99-2P**, Glycine,
 N-[[3-(3,5-dimethoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-00-2P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylmethyl)- **331740-01-3P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331740-02-4P**, Glycine,
 N-(1H-indol-2-ylmethyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-03-5P**, Glycine,
 N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-04-6P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[2-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-05-7P**,
 Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(3-nitrophenyl)-2-furanyl]methyl]- **331740-06-8P**, Glycine,
 N-[[5-[2-chloro-5-(trifluoromethyl)phenyl]-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-07-9P**,
 Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[3-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-08-0P**,
 Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-nitrophenyl)-2-furanyl]methyl]- **331740-09-1P**,
 1H-Pyrrole-2-carboxylic acid, 5-[[[(carboxymethyl)[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]methyl]-4-ethyl-3-methyl-,
 2-(phenylmethyl) ester **331740-10-4P**, Glycine,
 N-[[5-(4-bromophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-11-5P**, Glycine,
 N-[[5-(3-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-12-6P**, Glycine,
 N-[[5-(1,3-dioxolan-2-yl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-13-7P**, Glycine,
 N-[[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1H-indol-3-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331740-14-8P, Glycine, N-[[5-(2,4-dichlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-15-9P**, Glycine,
 N-[[4-(2,6-difluorobenzoyl)-1-methyl-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-16-0P**,
 Glycine, N-[(4-benzoyl-1-methyl-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-17-1P**,
 Glycine, N-[(2,2'-bithiophen)-5-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-18-2P**, Glycine,
 N-[[5-bromo-3,4-dimethylthieno[2,3-b]thien-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-19-3P**,
 Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(phenylethynyl)-2-thienyl]methyl]- **331740-20-6P**, Glycine,

N-[[4-(2,4-dichlorobenzoyl)-1-methyl-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-21-7P**, Glycine, N-[[1-(4-chlorophenyl)-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-22-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylethynyl)-2-thienyl]methyl]- **331740-23-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-nitro-4-phenoxyphenyl)methyl]- **331740-24-0P**, Glycine, N-[(3-methyl-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-25-1P**, Glycine, N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-26-2P**, Glycine, N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-27-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitro-3-phenoxyphenyl)methyl]- **331740-28-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitro-5-phenoxyphenyl)methyl]- **331740-29-5P**, Glycine, N-[(5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-30-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]-2-thienyl]methyl]- **331740-31-9P**, Glycine, N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-32-0P**, Glycine, N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-33-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[2-nitro-4-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-34-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(2-pyridinyl)phenyl]methyl]- **331740-35-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-(phenylmethyl)phenyl]methyl]- **331740-36-4P**, Glycine, N-heptyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-37-5P**, Glycine, N-[(1,1'-biphenyl)-4-ylmethyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-38-6P**, Glycine, N-[(2-hydroxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-39-7P**, Glycine, N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-40-0P**, Glycine, N-[(3,5-dimethoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-41-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenyl)methyl]- **331740-42-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-43-3P**, Glycine, N-[[3-(4-chlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-44-4P**, Glycine, N-[[3-(3,5-dichlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-45-5P**, Glycine, N-[[3-(4-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-46-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl]methyl]- **331740-47-7P**, Glycine, N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-48-8P**, Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-49-9P**, Glycine, N-[[3-[4-(1,1-dimethylethyl)phenoxy]phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-50-2P**, Glycine,

N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenyl]methyl]- **331740-51-3P**, Glycine,
N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-52-4P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl]methyl]- **331740-53-5P**, Glycine,
N-[[4-(3-methoxyphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-54-6P**, Glycine,
N-[[4-(4-bromophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-55-7P**, Glycine,
N-[[4-(4-chlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-56-8P**, Glycine,
N-[[4-(4-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-57-9P**, Glycine,
N-[[4-(4-methoxyphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-58-0P**, Glycine,
N-[[4-(2-chlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-59-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[4-(trifluoromethyl)phenoxy]phenyl]methyl]- **331740-60-4P**, Glycine,
N-[[4-(3,5-dichlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-61-5P**, Glycine,
N-[[4-(4-fluorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-62-6P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-thienyloxy)phenyl]methyl]- **331740-63-7P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[4-(methylthio)phenoxy]phenyl]methyl]- **331740-64-8P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxy-2-thienyl]methyl]- **331740-65-9P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[3-(trifluoromethyl)phenoxy]phenyl]methyl]- **331740-66-0P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-nitrophenoxy)phenyl]methyl]- **331740-67-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylamino)phenyl]methyl]- **331740-68-2P**, Glycine,
N-[[4-(1H-imidazol-1-yl)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-69-3P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(4-pyridinyl)phenyl]methyl]- **331740-70-6P**, Glycine,
N-[[4'-(aminocarbonyl)[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-71-7P**, Glycine,
N-[[3',5'-dichloro[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-72-8P**, Glycine,
N-[[3'-methoxy[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-73-9P**, Glycine,
N-[[3',4'-difluoro[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-74-0P**, Glycine,
N-[[3'-fluoro[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-75-1P**, Glycine,
N-[[4-(3-furanyl)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-76-2P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(2-thienyl)phenyl]methyl]- **331740-77-3P**, Glycine,
N-[[3-methoxy-4-phenoxyphenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-78-4P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-nitro-4-phenoxyphenyl]methyl]- **331740-79-5P**, Glycine,
N-[[3-methyl-4-phenoxyphenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-80-8P**, Glycine,

N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-81-9P**, Glycine,
N-[(2-methoxy-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-82-0P**, Glycine,
N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-83-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitro-3-phenoxyphenyl)methyl]- **331740-84-2P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitro-5-phenoxyphenyl)methyl]- **331740-85-3P**, Glycine,
N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-86-4P**, Glycine,
N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-87-5P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(2-pyrimidinyl)phenyl]methyl]- **331740-88-6P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(5-pyrimidinyl)phenyl]methyl]- **331740-89-7P**, Glycine,
N-(1H-indol-2-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-90-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1R)-1-phenylethyl]- **331740-91-1P**, D-Alanine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-92-2P**,
D-Phenylalanine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-93-3P**, D-Alanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-94-4P**, D-Phenylalanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-95-5P**, L-Phenylalanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-96-6P**, D-Valine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-97-7P**, Acetic acid,
(2,2-dimethylpropoxy)[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl][[4-phenoxyphenyl)methyl]amino]-, (2R)-
331740-98-8P, D-Serine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-
331740-99-9P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-
331741-00-5P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-
331741-01-6P, Glycine, N-[(2-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-02-7P**,
Glycine, N-[(3,5-dichlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-03-8P**, Glycine,
N-[[3-(3-methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-04-9P**, Glycine,
N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-05-0P**, Glycine,
N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-06-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]- **331741-07-2P**, Glycine,
N-[[4-(hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-08-3P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy)carbonyl]- **331741-09-4P**, Glycine, N-[(4-chloro-3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-10-7P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-

phenoxyphenyl)methoxy]carbonyl]- **331741-11-8P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-propynyloxy)carbonyl]- **331741-12-9P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-13-0P**
 , Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-14-1P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitrophenoxy)carbonyl]- **331741-15-2P**, Glycine,
 N-[(9H-fluoren-9-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-16-3P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-nitrophenyl)methoxy]carbonyl]- **331741-17-4P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-18-5P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331741-19-6P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl)methoxy]carbonyl]- **331741-20-9P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl)methoxy]carbonyl]- **331741-21-0P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331741-22-1P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331741-23-2P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331741-24-3P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-25-4P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenyl-2-propynyl]oxy]carbonyl]- **331741-26-5P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331741-27-6P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331741-28-7P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-29-8P**, Glycine,
 N-[(4-fluoro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-30-1P**, Glycine,
 N-[(3-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-31-2P**, Glycine,
 N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-32-3P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331741-33-4P**, Glycine,
 N-[[3-methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-34-5P**, Glycine,
 N-[[4-methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-35-6P**, Glycine,
 N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-36-7P**, Glycine,
 N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-37-8P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331741-38-9P**, Glycine,
 N-[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-39-0P**, Glycine,
 N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-40-3P**, Benzoic acid,
 4-[[[(carboxymethyl)][3-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]amino]carbonyl]oxy]-, 1-methyl ester
331741-41-4P, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-
[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-
331741-42-5P, Glycine, N-[[4-(1,3-dithiolan-2-
yl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-43-6P**, Glycine,
N-[(4-chloro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-44-7P**, Glycine,
N-[(4-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-45-8P**, Glycine,
N-[(4-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-46-9P**, Glycine,
N-[(4-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-47-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-
(trifluoromethoxy)phenoxy]carbonyl]- **331741-48-1P**, Glycine,
N-[(3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-49-2P**, Glycine,
N-[(3-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-50-5P**, Glycine,
N-[(3-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-51-6P**, Glycine,
N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-52-7P**, Glycine,
N-[(4-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-53-8P**, Glycine,
N-[(3-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-54-9P**, Glycine,
N-[[2,3-dihydro-3-oxo-6-benzofuranyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-
phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331741-55-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(1,2,3-
thiadiazol-4-yl)phenoxy]carbonyl]- **331741-56-1P**, Glycine,
N-[(3-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-57-2P**, Glycine,
N-[(3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-58-3P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3,4,5-
trimethylphenoxy)carbonyl]- **331741-59-4P**, Glycine,
N-[(4-ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-60-7P**, Glycine,
N-[(3-ethoxy-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-61-8P**, Glycine,
N-[(4-cyclopentylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-63-0P**, Glycine,
N-[(4-ethenylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-64-1P**, Glycine,
N-[[4-(3-methylbutyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-65-2P**, Glycine,
N-[(4-butylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-66-3P**, Glycine,
N-[(4-hexylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-67-4P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(4-
morpholinyl)phenoxy]carbonyl]- **331741-68-5P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5,6,7,8-
tetrahydro-2-naphthalenyl]oxy]carbonyl]- **331741-69-6P**, Glycine,
N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-70-9P**, Glycine,
N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
oxazolyl)ethoxy]phenyl)methyl]- **331741-71-0P**, Glycine,

N-[(3,4-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-72-1P**, Glycine,
 N-[(3,5-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331741-73-2P**, Glycine, N-[(3-ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-74-3P**, Glycine, N-[[4-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-75-4P**, Glycine, N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-76-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl]- **331741-77-6P**, Glycine, N-[(4-ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-78-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-propylphenoxy)carbonyl]- **331741-79-8P**, Glycine, N-[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-80-1P**, Glycine, N-[(3-ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-pentylphenoxy)carbonyl]- **331741-82-3P**, Glycine, N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-83-4P**, Glycine, N-[[3-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-84-5P**, Glycine, N-[[3-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-85-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-86-7P**, Glycine, N-[[4-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-87-8P**, Glycine, N-[[4-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-88-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-89-0P**, Glycine, N-[[3-(5-dimethoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-90-3P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-91-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxyphenyl]methoxy]carbonyl]- **331741-92-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-propynyloxy)carbonyl]- **331741-93-6P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-94-7P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-95-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitrophenoxy)carbonyl]- **331741-96-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy)carbonyl]- **331741-97-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(4-nitrophenyl)methoxy]carbonyl]- **331741-98-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-99-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331742-00-8P**, Glycine,

N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl]methoxy]carbonyl]- **331742-01-9P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl]methoxy]carbonyl]- **331742-02-0P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331742-03-1P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331742-04-2P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331742-05-3P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-06-4P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(3-phenyl-2-propynyl)oxy]carbonyl]- **331742-07-5P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331742-08-6P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331742-09-7P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-10-0P**, Glycine,
 N-[(2-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-11-1P**, Glycine,
 N-[(3-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-12-2P**, Glycine,
 N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-13-3P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331742-14-4P**, Glycine,
 N-[(3-acetylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-15-5P**, Glycine,
 N-[[4-methoxyphenyl]methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-16-6P**, Glycine,
 N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-17-7P**, Glycine,
 N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-18-8P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331742-19-9P**, Glycine,
 N-[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-20-2P**, Glycine,
 N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-21-3P**, Benzoic acid,
 4-[[[(carboxymethyl)][4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]carbonyl]oxy]-, 1-methyl ester **331742-22-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]- **331742-23-5P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-24-6P**, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-25-7P**, Glycine,
 N-[(4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-26-8P**, Glycine,
 N-[(4-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-27-9P**, Glycine,
 N-[(4-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-28-0P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenoxy]carbonyl]- **331742-29-1P**, Glycine,
 N-[(3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-30-4P**, Glycine,

N-[(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-31-5P, Glycine,
N-[(3-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-32-6P, Glycine,
N-[(3,5-difluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-33-7P, Glycine,
N-[(3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-34-8P, Glycine,
N-[(3-chloro-4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-35-9P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethylphenoxy)carbonyl]- 331742-36-0P, Glycine,
N-[(4-chloro-3,5-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-37-1P, Glycine,
N-[(3,4-difluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-38-2P, Glycine,
N-[(4-ethenylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-39-3P, Glycine,
N-[(4-fluoro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-40-6P, Glycine,
N-[(4-chloro-3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-41-7P, Glycine,
N-[[3-methyl-4-(methylthio)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-42-8P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1H-pyrrol-1-yl)phenoxy]carbonyl]- 331742-43-9P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(5,6,7,8-tetrahydro-2-naphthalenyl)oxy]carbonyl]- 331742-44-0P, Glycine,
N-[[[1,1'-biphenyl]-3-yloxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-45-1P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethyl)phenoxy]carbonyl]- 331742-46-2P, Glycine,
N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-47-3P, Glycine,
N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-48-4P, Glycine,
N-[[3,4-dimethylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-49-5P, Glycine,
N-[(3,5-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-50-8P, Glycine,
N-[(3-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-51-9P, Glycine,
N-[(4-chloro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-52-0P, Glycine,
N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-53-1P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl]- 331742-54-2P, Glycine,
N-[(4-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-55-3P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-propylphenoxy)carbonyl]- 331742-56-4P, Glycine,
N-[[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-57-5P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-naphthalenyloxy)carbonyl]- 331742-58-6P, Glycine,
N-[(3-ethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-59-7P, Glycine,
N-[(3,5-dichlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331742-60-0P, Glycine,

N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(1,2,3-thiadiazol-4-yl)phenoxy]carbonyl]- **331742-61-1P**, Glycine,
N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-62-2P**, Glycine,
N-[(3-methoxy-5-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-63-3P**, Glycine,
N-[[3-(3-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-64-4P**, Glycine,
N-[[3-(3-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-65-5P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331742-66-6P**, Glycine, N-[[4-(4-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-67-7P**, Glycine,
N-[[4-(4-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-68-8P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331742-69-9P**, Glycine, N-[[3-(3,5-dimethoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-70-2P**, Glycine,
N-[[3-(3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-71-3P**, Glycine,
N-[[3-(3-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-72-4P**, Glycine,
N-[(3-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-73-5P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxythioxomethyl)- **331742-74-6P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxythioxomethyl)- **331742-75-7P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)- **331742-76-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylcarbonyl)- **331742-77-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-thienylcarbonyl)- **331742-78-0P**, Glycine, N-(3,5-dimethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-79-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylcarbonyl)- **331742-80-4P**, Glycine,
N-(3,4-difluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-81-5P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenoxybenzoyl)- **331742-82-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(phenylmethyl)benzoyl]- **331742-83-7P**, Glycine, N-(3,5-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-84-8P**, Glycine, N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-85-9P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(5-methyl-2-thienyl)carbonyl]- **331742-86-0P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(5-nitro-2-thienyl)carbonyl]- **331742-87-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-methyl-2-thienyl)carbonyl]- **331742-88-2P**, Glycine,
N-(4-butoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-89-3P**, Glycine,
N-(4-methoxy-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-90-6P**, Glycine,
N-(3-chloro-4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-91-7P**, Glycine,

N-(3,4-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-92-8P**, Glycine,
 N-(4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-93-9P**, Glycine,
 N-(3-fluoro-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-94-0P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(methylthio)benzoyl]- **331742-95-1P**, Glycine,
 N-[4-(1-methylethyl)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-96-2P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(2-methylpropyl)benzoyl]- **331742-97-3P**, Glycine,
 N-(4-chloro-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-98-4P**, Glycine,
 N-(3-methoxy-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-99-5P**, Glycine,
 N-(1,3-benzodioxol-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-00-1P**, Glycine,
 N-[4-(1-methylethoxy)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-02-3P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-thienylcarbonyl)- **331743-04-5P**
 , Glycine, N-benzoyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-05-6P**, Glycine,
 N-(3-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-06-7P**, Glycine,
 N-(4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-07-8P**, Glycine,
 N-(3,4-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-08-9P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-propoxybenzoyl)- **331743-09-0P**, Glycine, N-(4-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-10-3P**, Glycine, N-(3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-11-4P**, Glycine,
 N-(4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-12-5P**, Glycine,
 N-(3-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-13-6P**, Glycine,
 N-(4-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-14-7P**, Glycine,
 N-(4-butylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-15-8P**, Glycine,
 N-(3,5-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-16-9P**, Glycine,
 N-(3-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-17-0P**, Glycine,
 N-(3-chloro-4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-18-1P**, Glycine,
 N-(3-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-19-2P**, Glycine,
 N-[(5-chloro-2-thienyl)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-20-5P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]- **331743-21-6P**, Glycine,
 N-[(4-methylphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-22-7P**, Glycine,
 N-[(3-fluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-23-8P**, Glycine,
 N-[(3,5-difluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331743-24-9P**, Glycine,
N-(1,3-benzodioxol-5-ylacetyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-25-0P**, Glycine,
N-[(4-ethoxyphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-26-1P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-nitrophenyl)acetyl]- **331743-27-2P**, Glycine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-nitrophenyl)acetyl]- **331743-28-3P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(1-oxo-3-phenylpropyl)- **331743-29-4P**, Glycine, N-([1,1'-biphenyl]-2-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-30-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(4-phenoxybenzoyl)- **331743-31-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-(phenylmethyl)benzoyl]- **331743-32-9P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[3-(phenylsulfinyl)benzoyl]- **331743-33-0P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-[(4-methylphenyl)thio]benzoyl]- **331743-34-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-(phenylsulfinyl)benzoyl]- **331743-35-2P**, Glycine,
N-(5-chloro-2-phenoxybenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-36-3P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(2-phenoxybenzoyl)- **331743-37-4P**, Glycine, N-([1,1'-biphenyl]-4-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-38-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(3-phenoxybenzoyl)- **331743-39-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-phenoxyphenyl)acetyl]- **331743-40-9P**, Glycine,
N-([1,1'-biphenyl]-4-ylacetyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-41-0P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(phenylmethyl)benzoyl]- **331743-42-1P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-(1H-pyrrol-1-yl)benzoyl]- **331743-43-2P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)acetyl]- **331743-44-3P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-phenoxyphenyl)acetyl]- **331743-45-4P**, Glycine,
N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-46-5P**, Glycine,
N-(3,4-dimethylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-47-6P**, Glycine,
N-(4-chloro-3-methylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-48-7P**, Glycine,
N-(3,4-difluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-49-8P**, Glycine,
N-(3,4-dichlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-50-1P**, Glycine,
N-(3-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-51-2P**, Glycine,
N-(4-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-52-3P**, Glycine,
N-(3-chloro-4-fluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-53-4P**, Glycine,
N-[4-(1-methylethyl)benzoyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-54-5P**, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(2-

methylpropyl)benzoyl]- **331743-55-6P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-
 propoxybenzoyl)- **331743-56-7P**, Glycine, N-(4-butylbenzoyl)-N-
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-57-8P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]-
331743-58-9P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-N-[[phenylmethyl]amino]carbonyl]-
331743-59-0P, Glycine, N-[[4-methoxyphenyl]amino]carbonyl]-N-[[3-
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-60-3P, Glycine, N-[[4-methoxyphenyl]methylamino]carbonyl]-
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-61-4P, Glycine, N-[[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-62-5P, Glycine, N-[[3,5-dimethoxyphenyl]amino]carbonyl]-N-
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-63-6P, Glycine, N-[[3,5-dichlorophenyl]amino]carbonyl]-N-
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-64-7P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-
331743-65-8P, Glycine, N-[[2,4-difluorophenyl]amino]carbonyl]-N-
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-66-9P, Glycine, N-[[2,4-dimethoxyphenyl]amino]carbonyl]-N-
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-67-0P, Glycine, N-[[2-methoxyphenyl]amino]carbonyl]-N-[[3-
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-68-1P, Glycine, N-[[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-69-2P, Glycine, N-[[3,5-dimethoxyphenyl]amino]carbonyl]-N-
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-70-5P, Glycine, N-[[3,5-dichlorophenyl]amino]carbonyl]-N-
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-71-6P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-
331743-72-7P, Glycine, N-[[2,4-difluorophenyl]amino]carbonyl]-N-
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-73-8P, Glycine, N-[[2,4-dimethoxyphenyl]amino]carbonyl]-N-
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-74-9P, Glycine, N-[[4-methoxyphenyl]amino]carbonyl]-N-[[4-
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-75-0P, Glycine, N-[[2-methoxyphenyl]amino]carbonyl]-N-[[4-
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-76-1P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylsulfonyl)-
331743-77-2P, Glycine, N-[[4-fluorophenyl]methyl]sulfonyl]-N-[[3-
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
331743-78-3P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-N-(phenylsulfonyl)- **331743-79-4P**
 , Glycine, N-[[2,5-dichlorophenyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]- **331743-80-7P**, Glycine,
 N-[[4-fluorophenyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]- **331743-81-8P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-
 [(phenylmethyl)sulfonyl]- **331743-82-9P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[1E)-2-
 phenylethenyl]sulfonyl]- **331743-83-0P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2,2,2-
 trifluoroethyl]sulfonyl]- **331743-84-1P**, Glycine,
 N-[[2,5-dimethylphenyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-
 oxazolyl)ethoxy]phenyl]methyl]-

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331743-85-2P, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-86-3P, Glycine, N-[(2,5-dichloro-3-thienyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-87-4P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-pyridinylsulfonyl)-2-thienyl]sulfonyl]- 331743-88-5P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethyl)phenyl]methyl]sulfonyl]- 331743-89-6P, Glycine, N-[[3-(methylphenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-90-9P, Glycine, N-[[2-(fluorophenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-91-0P, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-92-1P, Glycine, N-[[3,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-93-2P, Glycine, N-[[2-chloro-6-fluorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-94-3P, Glycine, N-[[4-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-95-4P, Glycine, N-[[2-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-96-5P, Glycine, N-[[2,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-97-6P, Glycine, N-[[2-methylphenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331743-98-7P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methyl]sulfonyl]- 331743-99-8P, Glycine, N-[[4-(1,1-dimethylethyl)phenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-00-4P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-propylphenyl]sulfonyl]- 331744-01-5P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylsulfonyl)- 331744-02-6P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylsulfonyl)- 331744-03-7P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,4,6-trimethylphenyl)sulfonyl]- 331744-04-8P, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-05-9P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethyl)sulfonyl]- 331744-06-0P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[1E]-2-phenylethenyl]sulfonyl]- 331744-07-1P, Glycine, N-[(2,5-dimethylphenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-08-2P, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-09-3P, Glycine, N-[[4-(2-chloro-6-nitrophenoxy)phenyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-10-6P, Glycine, N-(2-dibenzofuranyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-11-7P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethyl)phenyl]methyl]sulfonyl]- 331744-12-8P, Glycine, N-[[3-(methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-13-9P, Glycine, N-[[2-(fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-14-0P, Glycine,

N-[[4-(4-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-15-1P, Glycine,
N-[[3,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-16-2P, Glycine,
N-[[2-chloro-6-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-17-3P, Glycine,
N-[[4-chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-18-4P, Glycine,
N-[[2-chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-19-5P, Glycine,
N-[[2,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-20-8P, Glycine,
N-[[2-methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-21-9P, Glycine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[4-(trifluoromethoxy)phenyl]methyl]sulfonyl]- 331744-22-0P, Glycine, N-[[[4-(1,1-dimethylethyl)phenyl]methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-25-3P, Glycine, N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[4-(phenoxyphenyl)methyl]- 331744-26-4P, Glycine,
N-[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- 331744-27-5P, Glycine,
N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[(phenylmethoxy)carbonyl]- 331744-28-6P, Glycine,
N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-(phenylmethyl)- 331744-30-0P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-31-1P, .beta.-Alanine,
N-[(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-32-2P, .beta.-Alanine,
N-[(3-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-33-3P, .beta.-Alanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy carbonyl)- 331744-34-4P, .beta.-Alanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- 331744-35-5P, .beta.-Alanine,
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- 331744-36-6P, .beta.-Alanine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy carbonyl)- 331744-37-7P, .beta.-Alanine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- 331744-38-8P, .beta.-Alanine,
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- 331744-39-9P, Glycine,
N-[(3-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-40-2P, Glycine,
N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-41-3P, Glycine,
N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-42-4P, Glycine,
N-[(3-fluoro-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-43-5P, Glycine,
N-[(3-chloro-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-44-6P, Glycine,
N-[(3-bromo-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-45-7P, Glycine,
N-[(3-fluoro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-46-8P, Glycine,
N-[(3-chloro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331744-47-9P, Glycine,

N-[(3-bromo-4-methoxyphenoxy) carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-48-0P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-propylphenoxy) carbonyl]- **331744-49-1P**, Glycine,
 N-[(4-cyclopropylphenoxy) carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-50-4P**, Glycine,
 N-[[4-(cyclopropyloxy)phenoxy] carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-51-5P**, Glycine,
 N-[(3-fluoro-4-methylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-52-6P**, Glycine,
 N-[(3-chloro-4-methylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-53-7P**, Glycine,
 N-[(3-bromo-4-methylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-54-8P**, Glycine,
 N-[(3-fluoro-4-methoxyphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-55-9P**, Glycine,
 N-[(3-chloro-4-methoxyphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-56-0P**, Glycine,
 N-[(3-bromo-4-methoxyphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-57-1P**, Glycine,
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-propylphenoxy) carbonyl]- **331744-58-2P**, Glycine,
 N-[(3-cyclopropylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-59-3P**, Glycine,
 N-[(4-cyclopropylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-60-6P**, Glycine,
 N-[[4-(cyclopropyloxy)phenoxy] carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-61-7P**, Benzoic acid,
 2-(carboxymethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide **331744-62-8P**, Benzoic acid, 2-(carboxymethyl)-2-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide **331744-63-9P**, Glycine,
 N-[(4-methylphenoxy) carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-64-0P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-65-1P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-66-2P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]- **331744-67-3P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]- **331744-68-4P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]- **331744-69-5P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]- **331744-70-8P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]- **331744-72-0P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-73-1P**, Glycine,
 N-[(4-methylphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-74-2P**, Glycine,
 N-[(4-methylphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]- **331744-75-3P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]propyl]- **331744-76-4P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]- **331744-77-5P**, Glycine,
 N-[(4-methoxyphenoxy) carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-78-6P**, Glycine,

N-[(3-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-79-7P**, Glycine,
 N-[(3-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-80-0P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-81-1P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-82-2P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-83-3P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-84-4P**, Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-87-7P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-88-8P**, L-Alanine,
 N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-89-9P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-90-2P**, D-Alanine,
 N-[(4-methylphenoxy)carbonyl]-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-91-3P**, D-Alanine,
 N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-94-6P**, Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-95-7P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-96-8P**, D-Alanine,
 N-[(4-methylphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-97-9P**, D-Alanine,
 N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-98-0P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-99-1P**, L-Alanine,
 N-[(4-methylphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-00-7P**, L-Alanine,
 N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331745-01-8P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-02-9P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-03-0P**, L-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-04-1P**, D-Alanine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-05-2P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-06-3P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-07-4P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]- **331745-08-5P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-09-6P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[4-[[2Z]-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl]methyl]- **331745-10-9P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[3-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-11-0P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-12-1P**, Glycine,

N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-13-2P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-14-3P**, Glycine,
 N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-15-4P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-16-5P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-17-6P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-18-7P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-19-8P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-20-1P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]- **331745-21-2P**, Glycine,
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]- **331745-22-3P**, Glycine,
 N-(5-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-23-4P**, Glycine,
 N-(5-methyl-2-benzoxazolyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-24-5P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]- **331745-25-6P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-26-7P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-33-6P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331745-34-7P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331745-35-8P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl]methyl]- **331745-41-6P**, Glycine,
 N-[[4-[2-[2-(4-chlorophenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl]methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-42-7P**, Glycine,
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(3-methoxyphenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl]methyl]- **331745-43-8P**, Glycine,
 N-[[3-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-44-9P**, Glycine,
 N-[[3-[2-[2-(2-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-45-0P**, Glycine,
 N-[[4-[2-[2-(4-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-46-1P**, Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(oxophenylacetyl)- **331745-47-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(oxophenylacetyl)- **331745-49-4P**, Glycine, N-[[[(4-methoxyphenyl)thio]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-60-9P**, Glycine, N-[(3-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331745-69-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1S)-1-phenylethyl]- **331746-91-9P**,
 Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]- **331746-92-0P**,
 Glycine, N-[[[(4-methoxyphenyl)thio]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331746-93-1P**, L-Alanine,

N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331746-95-3P**, Glycine, N-(6-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **439276-48-9P**
439276-49-0P 439276-50-3P 439276-51-4P
439276-54-7P 439276-55-8P 439276-57-0P
439276-58-1P 439276-61-6P 439276-62-7P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331746-63-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester
331746-64-6, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-65-7**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-66-8**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate) **331746-68-0**, Glycine, N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-69-1**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)-, 1,1-dimethylethyl ester **331746-70-4**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylcarbonyl)-, 1,1-dimethylethyl ester **331746-71-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylsulfonyl)-, 1,1-dimethylethyl ester **331746-74-8**, .beta.-Alanine, N-[(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-75-9**, Glycine, N-(chlorocarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-76-0**, Glycine, N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-83-9**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-88-4**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-, 1,1-dimethylethyl ester **331746-89-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-, methyl ester

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331745-61-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)-, ethyl ester **331745-62-1P**, Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-63-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-64-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-65-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-, 1,1-dimethylethyl ester **331745-66-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-**331745-67-6P**, Glycine, N-[(4-hydroxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-68-7P**, Glycine, N-[(4-boronophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1-(1,1-dimethylethyl) ester **331745-71-2P**, Glycine, N-(chlorocarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-72-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]-,


1,1-dimethylethyl ester **331745-73-4P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-75-6P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-76-7P**, Glycine, N-[[4-(methoxyphenyl)amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331745-77-8P**, Glycine, N-[[4-(methoxyphenyl)methylamino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331745-88-1P**, Glycine, N-[(2,4-dinitrophenyl)sulfonyl]-N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester **331745-89-2P**, Glycine, N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester **331745-93-8P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331745-95-0P**, Glycine, N-[(3-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-04-4P**, Benzoic acid, 2-(2-ethoxy-2-oxoethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide **331746-06-6P**, Glycine, N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-07-7P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-10-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-12-4P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]-, methyl ester **331746-13-5P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester **331746-14-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]-, methyl ester **331746-16-8P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]-, ethyl ester **331746-21-5P**, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-22-6P**, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331746-26-0P**, L-Alanine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-30-6P**, Glycine, N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-32-8P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]-, methyl ester **331746-37-3P**, Glycine, N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-38-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-43-1P**, Glycine, N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-44-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-45-3P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[2-(2Z)-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-47-5P**, Glycine, N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-48-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-52-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-

methyl-4-oxazolyl]ethoxy]phenyl]methyl]-, methyl ester
331746-53-3P, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-54-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-62-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl]methyl]-, methyl ester **331746-67-9P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-79-3P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester **331746-94-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(phenylmethyl)amino]carbonyl]-, ethyl ester **439573-67-8P**
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 6 OF 7 USPAT2 on STN
AN 2003:141004 USPAT2
TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method
IN **Cheng, Peter T.**, Princeton, NJ, United States
Devasthale, Pratik, Plainsboro, NJ, United States
Jeon, Yoon, Belle Mead, NJ, United States
Chen, Sean, Princeton, NJ, United States
Zhang, Hao, Belle Mead, NJ, United States
PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)
PI US 6653314 B2 20031125
AI US 2002-80981 20020222 (10)
RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented, Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, now abandoned
PRAI US 1999-155400P 19990922 (60)
DT Utility
FS GRANTED
EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey, Ebenezer
LREP Rodney, Burton
CLMN Number of Claims: 13
ECL Exemplary Claim: 1
DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
LN.CNT 5073
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.
IT **331739-69-6P**
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
RN 331739-69-6 USPAT2
CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- (9CI) (CA INDEX NAME)



IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P

331739-71-0P 331739-72-1P 331739-73-2P

331739-74-3P 331739-75-4P 331739-76-5P

331739-77-6P 331739-78-7P 331739-79-8P

331739-80-1P 331739-81-2P 331739-82-3P

331739-83-4P 331739-84-5P 331739-85-6P

331739-86-7P 331739-87-8P 331739-88-9P

331739-89-0P 331739-90-3P 331739-91-4P

331739-92-5P 331739-93-6P 331739-94-7P

331739-95-8P 331739-96-9P 331739-97-0P

331739-98-1P 331739-99-2P 331740-00-2P

331740-01-3P 331740-02-4P 331740-03-5P

331740-04-6P 331740-05-7P 331740-06-8P

331740-07-9P 331740-08-0P 331740-09-1P

331740-10-4P 331740-11-5P 331740-12-6P

331740-13-7P 331740-14-8P 331740-15-9P

331740-16-0P 331740-17-1P 331740-18-2P

331740-19-3P 331740-20-6P 331740-21-7P

331740-22-8P 331740-23-9P 331740-24-0P

331740-25-1P 331740-26-2P 331740-27-3P

331740-28-4P 331740-29-5P 331740-30-8P

331740-31-9P 331740-32-0P 331740-33-1P

331740-34-2P 331740-35-3P 331740-36-4P

331740-37-5P 331740-38-6P 331740-39-7P

331740-40-0P 331740-41-1P 331740-42-2P

331740-43-3P 331740-44-4P 331740-45-5P

331740-46-6P 331740-47-7P 331740-48-8P

331740-49-9P 331740-50-2P 331740-51-3P

331740-52-4P 331740-53-5P 331740-54-6P

331740-55-7P 331740-56-8P 331740-57-9P

331740-58-0P 331740-59-1P 331740-60-4P

331740-61-5P 331740-62-6P 331740-63-7P

331740-64-8P 331740-65-9P 331740-66-0P

331740-67-1P 331740-68-2P 331740-69-3P

331740-70-6P 331740-71-7P 331740-72-8P

331740-73-9P 331740-74-0P 331740-75-1P

331740-76-2P 331740-77-3P 331740-78-4P

331740-79-5P 331740-80-8P 331740-81-9P

331740-82-0P 331740-83-1P 331740-84-2P

331740-85-3P 331740-86-4P 331740-87-5P

331740-88-6P 331740-89-7P 331740-90-0P

331740-91-1P 331740-92-2P 331740-93-3P

331740-94-4P 331740-95-5P 331740-96-6P

331740-97-7P 331740-98-8P 331740-99-9P

331741-00-5P 331741-01-6P 331741-02-7P

331741-03-8P 331741-04-9P 331741-05-0P

331741-06-1P 331741-07-2P 331741-08-3P

331741-09-4P 331741-10-7P 331741-11-8P

331741-12-9P 331741-13-0P 331741-14-1P

331741-15-2P 331741-16-3P 331741-17-4P
331741-18-5P 331741-19-6P 331741-20-9P
331741-21-0P 331741-22-1P 331741-23-2P
331741-24-3P 331741-25-4P 331741-26-5P
331741-27-6P 331741-28-7P 331741-29-8P
331741-30-1P 331741-31-2P 331741-32-3P
331741-33-4P 331741-34-5P 331741-35-6P
331741-36-7P 331741-37-8P 331741-38-9P
331741-39-0P 331741-40-3P 331741-41-4P
331741-42-5P 331741-43-6P 331741-44-7P
331741-45-8P 331741-46-9P 331741-47-0P
331741-48-1P 331741-49-2P 331741-50-5P
331741-51-6P 331741-52-7P 331741-53-8P
331741-54-9P 331741-55-0P 331741-56-1P
331741-57-2P 331741-58-3P 331741-59-4P
331741-60-7P 331741-61-8P 331741-63-0P
331741-64-1P 331741-65-2P 331741-66-3P
331741-67-4P 331741-68-5P 331741-69-6P
331741-70-9P 331741-71-0P 331741-72-1P
331741-73-2P 331741-74-3P 331741-75-4P
331741-76-5P 331741-77-6P 331741-78-7P
331741-79-8P 331741-80-1P 331741-81-2P
331741-82-3P 331741-83-4P 331741-84-5P
331741-85-6P 331741-86-7P 331741-87-8P
331741-88-9P 331741-89-0P 331741-90-3P
331741-91-4P 331741-92-5P 331741-93-6P
331741-94-7P 331741-95-8P 331741-96-9P
331741-97-0P 331741-98-1P 331741-99-2P
331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P
331742-06-4P 331742-07-5P 331742-08-6P
331742-09-7P 331742-10-0P 331742-11-1P
331742-12-2P 331742-13-3P 331742-14-4P
331742-15-5P 331742-16-6P 331742-17-7P
331742-18-8P 331742-19-9P 331742-20-2P
331742-21-3P 331742-22-4P 331742-23-5P
331742-24-6P 331742-25-7P 331742-26-8P
331742-27-9P 331742-28-0P 331742-29-1P
331742-30-4P 331742-31-5P 331742-32-6P
331742-33-7P 331742-34-8P 331742-35-9P
331742-36-0P 331742-37-1P 331742-38-2P
331742-39-3P 331742-40-6P 331742-41-7P
331742-42-8P 331742-43-9P 331742-44-0P
331742-45-1P 331742-46-2P 331742-47-3P
331742-48-4P 331742-49-5P 331742-50-8P
331742-51-9P 331742-52-0P 331742-53-1P
331742-54-2P 331742-55-3P 331742-56-4P
331742-57-5P 331742-58-6P 331742-59-7P
331742-60-0P 331742-61-1P 331742-62-2P
331742-63-3P 331742-64-4P 331742-65-5P
331742-66-6P 331742-67-7P 331742-68-8P
331742-69-9P 331742-70-2P 331742-71-3P
331742-72-4P 331742-73-5P 331742-74-6P
331742-75-7P 331742-76-8P 331742-77-9P
331742-78-0P 331742-79-1P 331742-80-4P
331742-81-5P 331742-82-6P 331742-83-7P
331742-84-8P 331742-85-9P 331742-86-0P
331742-87-1P 331742-88-2P 331742-89-3P

331742-90-6P 331742-91-7P 331742-92-8P
331742-93-9P 331742-94-0P 331742-95-1P
331742-96-2P 331742-97-3P 331742-98-4P
331742-99-5P 331743-00-1P 331743-02-3P
331743-04-5P 331743-05-6P 331743-06-7P
331743-07-8P 331743-08-9P 331743-09-0P
331743-10-3P 331743-11-4P 331743-12-5P
331743-13-6P 331743-14-7P 331743-15-8P
331743-16-9P 331743-17-0P 331743-18-1P
331743-19-2P 331743-20-5P 331743-21-6P
331743-22-7P 331743-23-8P 331743-24-9P
331743-25-0P 331743-26-1P 331743-27-2P
331743-28-3P 331743-29-4P 331743-30-7P
331743-31-8P 331743-32-9P 331743-33-0P
331743-34-1P 331743-35-2P 331743-36-3P
331743-37-4P 331743-38-5P 331743-39-6P
331743-40-9P 331743-41-0P 331743-42-1P
331743-43-2P 331743-44-3P 331743-45-4P
331743-46-5P 331743-47-6P 331743-48-7P
331743-49-8P 331743-50-1P 331743-51-2P
331743-52-3P 331743-53-4P 331743-54-5P
331743-55-6P 331743-56-7P 331743-57-8P
331743-58-9P 331743-59-0P 331743-60-3P
331743-61-4P 331743-62-5P 331743-63-6P
331743-64-7P 331743-65-8P 331743-66-9P
331743-67-0P 331743-68-1P 331743-69-2P
331743-70-5P 331743-71-6P 331743-72-7P
331743-73-8P 331743-74-9P 331743-75-0P
331743-76-1P 331743-77-2P 331743-78-3P
331743-79-4P 331743-80-7P 331743-81-8P
331743-82-9P 331743-83-0P 331743-84-1P
331743-85-2P 331743-86-3P 331743-87-4P
331743-88-5P 331743-89-6P 331743-90-9P
331743-91-0P 331743-92-1P 331743-93-2P
331743-94-3P 331743-95-4P 331743-96-5P
331743-97-6P 331743-98-7P 331743-99-8P
331744-00-4P 331744-01-5P 331744-02-6P
331744-03-7P 331744-04-8P 331744-05-9P
331744-06-0P 331744-07-1P 331744-08-2P
331744-09-3P 331744-10-6P 331744-11-7P
331744-12-8P 331744-13-9P 331744-14-0P
331744-15-1P 331744-16-2P 331744-17-3P
331744-18-4P 331744-19-5P 331744-20-8P
331744-21-9P 331744-22-0P 331744-25-3P
331744-26-4P 331744-27-5P 331744-28-6P
331744-30-0P 331744-31-1P 331744-32-2P
331744-33-3P 331744-34-4P 331744-35-5P
331744-36-6P 331744-37-7P 331744-38-8P
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
comps. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P
331744-45-7P 331744-46-8P 331744-47-9P
331744-48-0P 331744-49-1P 331744-50-4P
331744-51-5P 331744-52-6P 331744-53-7P
331744-54-8P 331744-55-9P 331744-56-0P
331744-57-1P 331744-58-2P 331744-59-3P
331744-60-6P 331744-61-7P 331744-62-8P
331744-63-9P 331744-64-0P 331744-65-1P
331744-66-2P 331744-67-3P 331744-68-4P

331744-69-5P 331744-70-8P 331744-72-0P
331744-73-1P 331744-74-2P 331744-75-3P
331744-76-4P 331744-77-5P 331744-78-6P
331744-79-7P 331744-80-0P 331744-81-1P
331744-82-2P 331744-83-3P 331744-84-4P
331744-87-7P 331744-88-8P 331744-89-9P
331744-90-2P 331744-91-3P 331744-94-6P
331744-95-7P 331744-96-8P 331744-97-9P
331744-98-0P 331744-99-1P 331745-00-7P
331745-01-8P 331745-02-9P 331745-03-0P
331745-04-1P 331745-05-2P 331745-06-3P
331745-07-4P 331745-08-5P 331745-09-6P
331745-10-9P 331745-11-0P 331745-12-1P
331745-13-2P 331745-14-3P 331745-15-4P
331745-16-5P 331745-17-6P 331745-18-7P
331745-19-8P 331745-20-1P 331745-21-2P
331745-22-3P 331745-23-4P 331745-24-5P
331745-25-6P 331745-26-7P 331745-33-6P
331745-34-7P 331745-35-8P 331745-41-6P
331745-42-7P 331745-43-8P 331745-44-9P
331745-45-0P 331745-46-1P 331745-47-2P
331745-49-4P 331745-60-9P 331745-69-8P
331746-91-9P 331746-92-0P 331746-93-1P
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7
331746-66-8 331746-68-0 331746-69-1
331746-70-4 331746-71-5 331746-74-8
331746-75-9 331746-76-0 331746-83-9
331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P
331745-64-3P 331745-65-4P 331745-66-5P
331745-67-6P 331745-68-7P 331745-71-2P
331745-72-3P 331745-73-4P 331745-75-6P
331745-76-7P 331745-77-8P 331745-88-1P
331745-89-2P 331745-93-8P 331745-95-0P
331746-04-4P 331746-06-6P 331746-07-7P
331746-10-2P 331746-12-4P 331746-13-5P
331746-14-6P 331746-16-8P 331746-21-5P
331746-22-6P 331746-26-0P 331746-30-6P
331746-32-8P 331746-37-3P 331746-38-4P
331746-43-1P 331746-44-2P 331746-45-3P
331746-47-5P 331746-48-6P 331746-52-2P
331746-53-3P 331746-54-4P 331746-62-4P
331746-67-9P 331746-79-3P 331746-94-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 7 OF 7 USPAT2 on STN

AN 2003:127720 USPAT2

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, United States
Devasthale, Pratik, Plainsboro, NJ, United States
Jeon, Yoon, Belle Mead, NJ, United States
Chen, Sean, Princeton, NJ, United States
Zhang, Hao, Belle Mead, NJ, United States

PA **Bristol-Myers Squibb** Company, Princeton,
 NJ, United States (U.S. corporation)
 PI US 6727271 B2 20040427
 AI US 2002-81075 20020222 (10)
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented,
 Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598,
 filed on 18 Sep 2000, now abandoned
 PRAI US 1999-155400P 19990922 (60)
 DT Utility
 FS GRANTED
 EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey,
 Ebenezer
 LREP Rodney, Burton
 CLMN Number of Claims: 19
 ECL Exemplary Claim: 1
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
 LN.CNT 5103
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and
 R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n
 are as defined herein, which compounds are useful as antidiabetic,
 hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **331739-69-6P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPAT2

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-
 (9CI) (CA INDEX NAME)



IT **331739-69-6P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)

IT **331739-67-4P 331739-68-5P 331739-70-9P**
331739-71-0P 331739-72-1P 331739-73-2P
331739-74-3P 331739-75-4P 331739-76-5P
331739-77-6P 331739-78-7P 331739-79-8P
331739-80-1P 331739-81-2P 331739-82-3P
331739-83-4P 331739-84-5P 331739-85-6P
331739-86-7P 331739-87-8P 331739-88-9P
331739-89-0P 331739-90-3P 331739-91-4P
331739-92-5P 331739-93-6P 331739-94-7P
331739-95-8P 331739-96-9P 331739-97-0P
331739-98-1P 331739-99-2P 331740-00-2P
331740-01-3P 331740-02-4P 331740-03-5P
331740-04-6P 331740-05-7P 331740-06-8P
331740-07-9P 331740-08-0P 331740-09-1P
331740-10-4P 331740-11-5P 331740-12-6P

331740-13-7P 331740-14-8P 331740-15-9P
331740-16-0P 331740-17-1P 331740-18-2P
331740-19-3P 331740-20-6P 331740-21-7P
331740-22-8P 331740-23-9P 331740-24-0P
331740-25-1P 331740-26-2P 331740-27-3P
331740-28-4P 331740-29-5P 331740-30-8P
331740-31-9P 331740-32-0P 331740-33-1P
331740-34-2P 331740-35-3P 331740-36-4P
331740-37-5P 331740-38-6P 331740-39-7P
331740-40-0P 331740-41-1P 331740-42-2P
331740-43-3P 331740-44-4P 331740-45-5P
331740-46-6P 331740-47-7P 331740-48-8P
331740-49-9P 331740-50-2P 331740-51-3P
331740-52-4P 331740-53-5P 331740-54-6P
331740-55-7P 331740-56-8P 331740-57-9P
331740-58-0P 331740-59-1P 331740-60-4P
331740-61-5P 331740-62-6P 331740-63-7P
331740-64-8P 331740-65-9P 331740-66-0P
331740-67-1P 331740-68-2P 331740-69-3P
331740-70-6P 331740-71-7P 331740-72-8P
331740-73-9P 331740-74-0P 331740-75-1P
331740-76-2P 331740-77-3P 331740-78-4P
331740-79-5P 331740-80-8P 331740-81-9P
331740-82-0P 331740-83-1P 331740-84-2P
331740-85-3P 331740-86-4P 331740-87-5P
331740-88-6P 331740-89-7P 331740-90-0P
331740-91-1P 331740-92-2P 331740-93-3P
331740-94-4P 331740-95-5P 331740-96-6P
331740-97-7P 331740-98-8P 331740-99-9P
331741-00-5P 331741-01-6P 331741-02-7P
331741-03-8P 331741-04-9P 331741-05-0P
331741-06-1P 331741-07-2P 331741-08-3P
331741-09-4P 331741-10-7P 331741-11-8P
331741-12-9P 331741-13-0P 331741-14-1P
331741-15-2P 331741-16-3P 331741-17-4P
331741-18-5P 331741-19-6P 331741-20-9P
331741-21-0P 331741-22-1P 331741-23-2P
331741-24-3P 331741-25-4P 331741-26-5P
331741-27-6P 331741-28-7P 331741-29-8P
331741-30-1P 331741-31-2P 331741-32-3P
331741-33-4P 331741-34-5P 331741-35-6P
331741-36-7P 331741-37-8P 331741-38-9P
331741-39-0P 331741-40-3P 331741-41-4P
331741-42-5P 331741-43-6P 331741-44-7P
331741-45-8P 331741-46-9P 331741-47-0P
331741-48-1P 331741-49-2P 331741-50-5P
331741-51-6P 331741-52-7P 331741-53-8P
331741-54-9P 331741-55-0P 331741-56-1P
331741-57-2P 331741-58-3P 331741-59-4P
331741-60-7P 331741-61-8P 331741-63-0P
331741-64-1P 331741-65-2P 331741-66-3P
331741-67-4P 331741-68-5P 331741-69-6P
331741-70-9P 331741-71-0P 331741-72-1P
331741-73-2P 331741-74-3P 331741-75-4P
331741-76-5P 331741-77-6P 331741-78-7P
331741-79-8P 331741-80-1P 331741-81-2P
331741-82-3P 331741-83-4P 331741-84-5P
331741-85-6P 331741-86-7P 331741-87-8P
331741-88-9P 331741-89-0P 331741-90-3P
331741-91-4P 331741-92-5P 331741-93-6P

331741-94-7P 331741-95-8P 331741-96-9P

331741-97-0P 331741-98-1P 331741-99-2P

331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P

331742-06-4P 331742-07-5P 331742-08-6P

331742-09-7P 331742-10-0P 331742-11-1P

331742-12-2P 331742-13-3P 331742-14-4P

331742-15-5P 331742-16-6P 331742-17-7P

331742-18-8P 331742-19-9P 331742-20-2P

331742-21-3P 331742-22-4P 331742-23-5P

331742-24-6P 331742-25-7P 331742-26-8P

331742-27-9P 331742-28-0P 331742-29-1P

331742-30-4P 331742-31-5P 331742-32-6P

331742-33-7P 331742-34-8P 331742-35-9P

331742-36-0P 331742-37-1P 331742-38-2P

331742-39-3P 331742-40-6P 331742-41-7P

331742-42-8P 331742-43-9P 331742-44-0P

331742-45-1P 331742-46-2P 331742-47-3P

331742-48-4P 331742-49-5P 331742-50-8P

331742-51-9P 331742-52-0P 331742-53-1P

331742-54-2P 331742-55-3P 331742-56-4P

331742-57-5P 331742-58-6P 331742-59-7P

331742-60-0P 331742-61-1P 331742-62-2P

331742-63-3P 331742-64-4P 331742-65-5P

331742-66-6P 331742-67-7P 331742-68-8P

331742-69-9P 331742-70-2P 331742-71-3P

331742-72-4P 331742-73-5P 331742-74-6P

331742-75-7P 331742-76-8P 331742-77-9P

331742-78-0P 331742-79-1P 331742-80-4P

331742-81-5P 331742-82-6P 331742-83-7P

331742-84-8P 331742-85-9P 331742-86-0P

331742-87-1P 331742-88-2P 331742-89-3P

331742-90-6P 331742-91-7P 331742-92-8P

331742-93-9P 331742-94-0P 331742-95-1P

331742-96-2P 331742-97-3P 331742-98-4P

331742-99-5P 331743-00-1P 331743-02-3P

331743-04-5P 331743-05-6P 331743-06-7P

331743-07-8P 331743-08-9P 331743-09-0P

331743-10-3P 331743-11-4P 331743-12-5P

331743-13-6P 331743-14-7P 331743-15-8P

331743-16-9P 331743-17-0P 331743-18-1P

331743-19-2P 331743-20-5P 331743-21-6P

331743-22-7P 331743-23-8P 331743-24-9P

331743-25-0P 331743-26-1P 331743-27-2P

331743-28-3P 331743-29-4P 331743-30-7P

331743-31-8P 331743-32-9P 331743-33-0P

331743-34-1P 331743-35-2P 331743-36-3P

331743-37-4P 331743-38-5P 331743-39-6P

331743-40-9P 331743-41-0P 331743-42-1P

331743-43-2P 331743-44-3P 331743-45-4P

331743-46-5P 331743-47-6P 331743-48-7P

331743-49-8P 331743-50-1P 331743-51-2P

331743-52-3P 331743-53-4P 331743-54-5P

331743-55-6P 331743-56-7P 331743-57-8P

331743-58-9P 331743-59-0P 331743-60-3P

331743-61-4P 331743-62-5P 331743-63-6P

331743-64-7P 331743-65-8P 331743-66-9P

331743-67-0P 331743-68-1P 331743-69-2P

331743-70-5P 331743-71-6P 331743-72-7P
331743-73-8P 331743-74-9P 331743-75-0P
331743-76-1P 331743-77-2P 331743-78-3P
331743-79-4P 331743-80-7P 331743-81-8P
331743-82-9P 331743-83-0P 331743-84-1P
331743-85-2P 331743-86-3P 331743-87-4P
331743-88-5P 331743-89-6P 331743-90-9P
331743-91-0P 331743-92-1P 331743-93-2P
331743-94-3P 331743-95-4P 331743-96-5P
331743-97-6P 331743-98-7P 331743-99-8P
331744-00-4P 331744-01-5P 331744-02-6P
331744-03-7P 331744-04-8P 331744-05-9P
331744-06-0P 331744-07-1P 331744-08-2P
331744-09-3P 331744-10-6P 331744-11-7P
331744-12-8P 331744-13-9P 331744-14-0P
331744-15-1P 331744-16-2P 331744-17-3P
331744-18-4P 331744-19-5P 331744-20-8P
331744-21-9P 331744-22-0P 331744-25-3P
331744-26-4P 331744-27-5P 331744-28-6P
331744-30-0P 331744-31-1P 331744-32-2P
331744-33-3P 331744-34-4P 331744-35-5P
331744-36-6P 331744-37-7P 331744-38-8P
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P
331744-45-7P 331744-46-8P 331744-47-9P
331744-48-0P 331744-49-1P 331744-50-4P
331744-51-5P 331744-52-6P 331744-53-7P
331744-54-8P 331744-55-9P 331744-56-0P
331744-57-1P 331744-58-2P 331744-59-3P
331744-60-6P 331744-61-7P 331744-62-8P
331744-63-9P 331744-64-0P 331744-65-1P
331744-66-2P 331744-67-3P 331744-68-4P
331744-69-5P 331744-70-8P 331744-72-0P
331744-73-1P 331744-74-2P 331744-75-3P
331744-76-4P 331744-77-5P 331744-78-6P
331744-79-7P 331744-80-0P 331744-81-1P
331744-82-2P 331744-83-3P 331744-84-4P
331744-87-7P 331744-88-8P 331744-89-9P
331744-90-2P 331744-91-3P 331744-94-6P
331744-95-7P 331744-96-8P 331744-97-9P
331744-98-0P 331744-99-1P 331745-00-7P
331745-01-8P 331745-02-9P 331745-03-0P
331745-04-1P 331745-05-2P 331745-06-3P
331745-07-4P 331745-08-5P 331745-09-6P
331745-10-9P 331745-11-0P 331745-12-1P
331745-13-2P 331745-14-3P 331745-15-4P
331745-16-5P 331745-17-6P 331745-18-7P
331745-19-8P 331745-20-1P 331745-21-2P
331745-22-3P 331745-23-4P 331745-24-5P
331745-25-6P 331745-26-7P 331745-33-6P
331745-34-7P 331745-35-8P 331745-41-6P
331745-42-7P 331745-43-8P 331745-44-9P
331745-45-0P 331745-46-1P 331745-47-2P
331745-49-4P 331745-60-9P 331745-69-8P
331746-91-9P 331746-92-0P 331746-93-1P
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7
331746-66-8 331746-68-0 331746-69-1
331746-70-4 331746-71-5 331746-74-8
331746-75-9 331746-76-0 331746-83-9
331746-88-4 331746-89-5
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P
331745-64-3P 331745-65-4P 331745-66-5P
331745-67-6P 331745-68-7P 331745-71-2P
331745-72-3P 331745-73-4P 331745-75-6P
331745-76-7P 331745-77-8P 331745-88-1P
331745-89-2P 331745-93-8P 331745-95-0P
331746-04-4P 331746-06-6P 331746-07-7P
331746-10-2P 331746-12-4P 331746-13-5P
331746-14-6P 331746-16-8P 331746-21-5P
331746-22-6P 331746-26-0P 331746-30-6P
331746-32-8P 331746-37-3P 331746-38-4P
331746-43-1P 331746-44-2P 331746-45-3P
331746-47-5P 331746-48-6P 331746-52-2P
331746-53-3P 331746-54-4P 331746-62-4P
331746-67-9P 331746-79-3P 331746-94-2P
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

*Elected
Species*

=> d bib abs fhitrn hitrn l66 tot

L66 ANSWER 1 OF 6 USPATFULL on STN
AN 2003:141004 USPATFULL
TI Substituted acid derivatives useful as antidiabetic and antiobesity
agents and method
IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES
Devasthale, Pratik, Plainsboro, NJ, UNITED STATES
Jeon, Yoon, Belle Mead, NJ, UNITED STATES
Chen, Sean, Princeton, NJ, UNITED STATES
Zhang, Hao, Belle Mead, NJ, UNITED STATES
PI US 2003096846 A1 20030522
US 6653314 B2 20031125
AI US 2002-80981 A1 20020222 (10)
RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, GRANTED,
Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598,
filed on 18 Sep 2000, PENDING
PRAI US 1999-155400P 19990922 (60)
DT Utility
FS APPLICATION
LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O
BOX 4000, PRINCETON, NJ, 08543-4000
CLMN Number of Claims: 54
ECL Exemplary Claim: 1
DRWN No Drawings
LN.CNT 5718
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and
R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n
are as defined herein, which compounds are useful as antidiabetic,
hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 2 OF 6 USPATFULL on STN

AN 2003:127720 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES

Devasthale, Pratik, Plainsboro, NJ, UNITED STATES

Jeon, Yoon, Belle Mead, NJ, UNITED STATES

Chen, Sean, Princeton, NJ, UNITED STATES

Zhang, Hao, Belle Mead, NJ, UNITED STATES

PI US 2003087935 A1 20030508

US 6727271 B2 20040427

AI US 2002-81075 A1 20020222 (10)

RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING
Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, PENDING

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS APPLICATION

LREP Stephen B. Davis, Bristol-Myers Squibb Company, Patent Department, P.O. Box 4000, Princeton, NJ, 08543-4000

CLMN Number of Claims: 54

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 5712

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 3 OF 6 USPTAFULL on STN
 AN 2003:100164 USPTAFULL
 TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method
 IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES
Devasthale, Pratik, Plainsboro, NJ, UNITED STATES
Jeon, Yoon, Belle Mead, NJ, UNITED STATES
Chen, Sean, Princeton, NJ, UNITED STATES
Zhang, Hao, Belle Mead, NJ, UNITED STATES
 PI US 2003069275 A1 20030410
 AI US 2002-80965 A1 20020222 (10)
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING
 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, PENDING
 PRAI US 1999-155400P 19990922 (60)
 DT Utility
 FS APPLICATION
 LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O BOX 4000, PRINCETON, NJ, 08543-4000
 CLMN Number of Claims: 54
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 5710
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB Compounds are provided which have the structure ##STR1##


wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPTAFULL
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 4 OF 6 USPTAFULL on STN

AN 2002:160755 USPTAFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, United States

Devasthale, Pratik, Plainsboro, NJ, United States

Jeon, Yoon, Belle Mead, NJ, United States

Chen, Sean, Princeton, NJ, United States

Zhang, Hao, Belle Mead, NJ, United States

PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)

PI US 6414002 B1 20020702

AI US 2001-812960 20010320 (9)

RLI Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS GRANTED

EXNAM Primary Examiner: Higel, Floyd D.; Assistant Examiner: Sackey, Ebenezer

LREP Burton Rodney

CLMN Number of Claims: 30

ECL Exemplary Claim: 1

DRWN 0 Drawing Figure(s); 0 Drawing Page(s)

LN.CNT 5133

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPTAFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 5 OF 6 USPAT2 on STN
 AN 2003:141004 USPAT2
 TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method
 IN **Cheng, Peter T.**, Princeton, NJ, United States
Devasthale, Pratik, Plainsboro, NJ, United States
Jeon, Yoon, Belle Mead, NJ, United States
Chen, Sean, Princeton, NJ, United States
Zhang, Hao, Belle Mead, NJ, United States
 PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)
 PI US 6653314 B2 20031125
 AI US 2002-80981 20020222 (10)
 RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented, Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, now abandoned
 PRAI US 1999-155400P 19990922 (60)
 DT Utility
 FS GRANTED
 EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey, Ebenezer
 LREP Rodney, Burton
 CLMN Number of Claims: 13
 ECL Exemplary Claim: 1
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
 LN.CNT 5073


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
 RN 331745-63-2 USPAT2
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 6 OF 6 USPAT2 on STN
 AN 2003:127720 USPAT2
 TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method
 IN **Cheng, Peter T.**, Princeton, NJ, United States
 Devasthale, Pratik, Plainsboro, NJ, United States
 Jeon, Yoon, Belle Mead, NJ, United States
 Chen, Sean, Princeton, NJ, United States
 Zhang, Hao, Belle Mead, NJ, United States
 PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)
 PI US 6727271 B2 20040427
 AI US 2002-81075 20020222 (10)
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented, Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, now abandoned
 PRAI US 1999-155400P 19990922 (60)
 DT Utility
 FS GRANTED
 EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey, Ebenezer
 LREP Rodney, Burton
 CLMN Number of Claims: 19
 ECL Exemplary Claim: 1
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
 LN.CNT 5103
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB Compounds are provided which have the structure ##STR1##


wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPAT2
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyloxy- and thiazolyloxybenzylglycines and related
compds. as antidiabetic and antiobesity agents)

=> b home

FILE 'HOME' ENTERED AT 15:05:46 ON 13 JUL 2004

=>